

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other	7. If Unit or CA, Agreement Designation
2. Name of Operator Conoco Inc.	8. Well Name and No. <i>Sty 1</i> MCA UNIT # 108
3. Address and Telephone No. 10 Desta Drive STE 100W, Midland, TX 79705 (915)686-5424	9. API Well No. 30-025-00783
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 660' FEL & 660' FNL SEC. 30, T-17S, R-32E, UNIT LTR 'A'	10. Field and Pool, or Exploratory Area MALJAMAR GRAYBURG SA
	11. County or Parish, State LEA, NM

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input checked="" type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Other	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

1-17-92 MIRU. POOH W/ TBG. POOH W/ RBP. RUN BIT & SCRAPER TO TD. SWAGE TIGHT SPOTS 3064-3200'. TEST LINER. SET RBP @ 3290'. SET CMT RETAINER. GIH W/ PKR. SET @ 2837' PUMP 220 SX CLASS H, POOH W/ PKR. PERF SQUEEZE HOLES @ 842' SET PACKER @ 670' CEMENT ANNULUS W/ 150 SX H + 2% CF-2 + 5% CF-74 + 1% CACL2. GOOD RETURNS TO SURFACE. GIH W/ BIT. TAG TOC @ 770' DO TO 842' CIRC CLEAN. GIH TAG TOC @ 2745' DO TO 2900'. CIRC CLEAN. DO TO 3218'. GIH W/ PKR SET @ 2837' PUMP 50 SX CLASS H, FOLLOWED W/ 50 SX CLASS H W/ 8% THIXADE - 60% H2O. DO TO 3100'. GIH W/ 5 1/2" LINER TO 3254'. TIE BACK LINER TO SURFACE, CEMENT W/ 69 BBL CLASS H, CIRC TO SURFACE. RELEASE RBP POOH. CUT OFF CSG, INSTALL CSG HEAD. GIH W/ PROD TBG, PRODS & PUMP. RDMO RETURN WELL TO PRODUCTION.

*AB*

1992

NEW MEXICO

14. I hereby certify that the foregoing is true and correct

Signed *Neil R. Sanchez* Title SR. REGULATORY SPEC. Date 6-1-92  
(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_  
Conditions of approval, if any: