

(SUBMIT IN TRIPLICATE)

Land Office **Las Cruces**Lease No. **058409(b)**Unit **RECEIVED**UNITED STATES
DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

*Production casing shall be cemented in place
sufficient cement to circulate to at
least 50 feet into the 8 1/2" casing*

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 15th, 1960

Federal-Johns

Well No. **1** is located **1940** ft. from **NE** line and **660** ft. from **E** line of sec. **35****NE/32 Sec. 35**
(1/4 Sec. and Sec. No.)**17S**
(Twp.)**1E**
(Range)**10W**
(Meridian)**Wildcat**
(Field)**100**
(County or Subdivision)**New Mexico**
(State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We will drill this well to approximately 9100 feet with rotary tools. We will set approximately 310 feet of 13 3/8" OD casing and cement with 200 sacks cement. We will set approximately 2800 feet of 8 5/8" OD casing, and cement with 550 sacks cement. We will drill through the pay and set approximately 9100 feet of 5 1/2" OD casing if production is found and cement with 300 sacks cement, and will complete the well through perforations.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **WILLIAM A. & EDWARD R. HEDSON**Address **1810 ELECTRIC BUILDING****PORT WORTH, TEXAS**By *Edward R. Hedson*Title **Joint Operators**

NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT

FORM C-128
Revised 5/1/57

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE

SECTION A


Operator Wm. A & Edward R. Hudson			Lease Federal Johns		Well No. 1
Unit Letter I	Section 35	Township 17 South	Range 3 2 East	County Lea	
Actual Footage Location of Well: 1 980 feet from the South line and 660 feet from the East line					
Ground Level Elev.	Producing Formation		Pool	Dedicated Acreage: 40 Acres	

1. Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES ☒ NO ☐ ("Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1955 Comp.)
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES ☐ NO ☐ If answer is "yes," Type of Consolidation _____
3. If the answer to question two is "no," list all the owners and their respective interests below:

RECEIVED

Owner	Land Description
	JAN 19 1960 U. S. GEOLOGICAL SURVEY ARTESIA, NEW MEXICO

SECTION B



CERTIFICATION

I hereby certify that the information in SECTION A above is true and complete to the best of my knowledge and belief.

Name Wm. A. & Edward R. Hudson
Position WILLIAM A. & EDWARD R. HUDSON
Company HUDSON
Date 1/18/60

I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed 1-16-1960
Registered Professional Engineer and/or Land Surveyor, JOHN W. WEST
Certificate No. N.M. P.E. & L.S. NO. 676

0 330 660 990 1320 1650 1980 2310 2640 2000 1500 1000 500