

NEW MEXICO OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO1957 APR 11 10 50 AM
MISCELLANEOUS NOTICES

SUBMIT THIS NOTICE IN TRIPLICATE TO THE DISTRICT OFFICE, OIL CONSERVATION COMMISSION, BEFORE THE WORK SPECIFIED IS TO BEGIN. A COPY WILL BE RETURNED TO THE SENDER ON WHICH WILL BE GIVEN THE APPROVAL, WITH ANY MODIFICATIONS CONSIDERED ADVISABLE, OR THE REJECTION BY THE COMMISSION OR AGENT, OF THE PLAN SUBMITTED. THE PLAN AS APPROVED SHOULD BE FOLLOWED, AND WORK SHOULD NOT BEGIN UNTIL APPROVAL IS OBTAINED. SEE ADDITIONAL INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION.

INDICATE NATURE OF NOTICE BY CHECKING BELOW

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE	X	NOTICE OF INTENTION TO SHOOT (NITRO)	
NOTICE OF INTENTION TO GUN PERFORATE	X	NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICOHobbs, New Mexico
(PLACE)April 11, 1957
(DATE)

GENTLEMEN:

FOLLOWING IS A NOTICE OF INTENTION TO DO CERTAIN WORK AS DESCRIBED BELOW AT THE

Humble Oil & Refining Company, N.I. State AQ WELL NO. 1 IN I
(COMPANY OR OPERATOR) (UNIT)
NE 1/4 SE 1/4 OF SEC. 3, T 16-S, R 33-E, NMPM., Undesignated POOL
(40-ACRE SUBDIVISION)
Lea COUNTY.

FULL DETAILS OF PROPOSED PLAN OF WORK
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

It is proposed to stimulate the current Pennsylvanian producing interval and perforate and stimulate an additional Pennsylvanian interval as follows:

1. Acidize present perforated interval from 10,960 to 10,984' w/10,000 gal acid & swab test.
2. Pull tubing & perforate 5-1/2" casing from 10,860-10875' w/4 jet shots/foot.
3. Rerun tubing w/Baker Model C-1 receptacle on bottom & a retrievable packer 2-jts above bot. Set receptacle assembly in packer at 10,935' to seal off lower perforations.
4. Pull up & set retrievable packer above perforations 10,860-10,875' & acidize in stages as necessary. Swab test after each stage.
5. Latch into receptacle assembly & pull out of hole.
6. Rerun tubing & swing it about top of upper perforations.
7. Swab well in & place on production.

Note: Current producing interval: Perforated casing from 10,960 to 10,984'.
Current production: Approx. 20 bbls oil per day, no water.

APPROVED _____, 19____
EXCEPT AS FOLLOWS:

Humble Oil & Refining Company
BY R. N. Hume
COMPANY OR OPERATOR

POSITION Agent
SEND COMMUNICATIONS REGARDING WELL TO:

APPROVED
OIL CONSERVATION COMMISSION
BY E. J. Fischer
TITLE _____

NAME Humble Oil & Refining Company
ADDRESS Box 2347, Hobbs, N.M.

