



AREA 640 ACRES
LOCATE WELL CORRECTLY

HOBBS OFFICE
NEW MEXICO OIL CONSERVATION COMMISSION
1955 SEP 25 AM 11:12
Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

Garland A. Smith Gulf State
(Company or Operator) (Lease)

Well No. 1, in NE 1/4 of NE 1/4, of Sec. 29, T. 16S, R. 33E, NMPM.
Wildcat Pool, Lea County.
Well is 660 feet from North line and 660 feet from East line
of Section 29. If State Land the Oil and Gas Lease No. is not known.
Drilling Commenced 8-23, 1956. Drilling was Completed 9-20, 1956.
Name of Drilling Contractor Thomas Drilling Company
Address Box 2646, Hobbs, New Mexico
Elevation above sea level at Top of Tubing Head not known. The information given is to be kept confidential until not confidential, 19.

OIL SANDS OR ZONES

No. 1, from None to No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from None to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8"	32#	New	385	Tex. Pat	-	-	Water shut off

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12 1/4"	8 5/8"	387	225	Displaced Plug	10#	Sufficient

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

This well was a dry hole at 4636' T.D.
DST @4351-4505'. Open 1/2 hour, light blow for 20 minutes and died. Recovered 90' drilling mud - no shows.
Result of Production Stimulation
Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 4636 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing, 19

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy.	T. Devonian.	T. Ojo Alamo.
T. Salt. 1545'	T. Silurian.	T. Kirtland-Fruitland.
B. Salt. 2690'	T. Montoya.	T. Farmington.
T. Yates.	T. Simpson.	T. Pictured Cliffs.
T. 7 Rivers.	T. McKee.	T. Menefee.
T. Queen.	T. Ellenburger.	T. Point Lookout.
T. Grayburg.	T. Gr. Wash.	T. Mancos.
T. San Andres.	T. Granite.	T. Dakota.
T. Glorieta.	T.	T. Morrison.
T. Drinkard.	T.	T. Penn.
T. Tubbs.	T.	T.
T. Abo.	T.	T.
T. Penn.	T.	T.
T. Miss.	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	387	387	Surface sands and gravels				
387	1545	1158	Red Bed				
1545	2690	1145	Salt				
2690	4259	1569	Streaks Anhydrite and Lime				
4259	4636TD	377	Lime				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

September 24, 1956 (Date)
Company or Operator: Garland A. Smith Address: 2607 Cuthbert, Midland, Texas
Name: R. A. Thomas Position or Title: Agent