

OIL CONSERVATION DIVISION

P. O. BOX 2088
SANTA FE, NEW MEXICO 87501Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
2149	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL <input checked="" type="checkbox"/>	GAS WELL <input type="checkbox"/>	OTHER <input type="checkbox"/>	7. Unit Agreement Name
Name of Operator Pennzoil Company			8. Farm or Lease Name Phillips "B" State
Address of Operator P.O. Drawer 1828, Midland, TX 79702-1828			9. Well No. 11
Location of Well UNIT LETTER <u>C</u> <u>2047.6</u> FEET FROM THE <u>West</u> LINE AND <u>660</u> FEET FROM THE <u>North</u> LINE, SECTION <u>19</u> TOWNSHIP <u>17-S</u> RANGE <u>33-E</u> NMPM.			10. Field and Pool, or Wildcat Maljamar G.-S.A.
15. Elevation (Show whether DF, RT, GR, etc.) 4119.6 GR			12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input checked="" type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

PROPOSED WORKOVER:

1. Drill out scale in 5 1/2" casing to 4346'.
2. Add the following Grayburg pay with 1 JSPF:

4081-83' (3 holes)	4122-28' (7 holes)
4090-96' (7 holes)	4141-43' (3 holes)
4110-14' (5 holes)	4210-14' (5 holes)
3. Acidize old and new perms with 6000 gals 15% NeFe HCL acid.
4. Swab back the load and test.
5. Treat with scale and corrosion preventative.
6. Place the well back on pump.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>Eddie Seay</u>	TITLE <u>Advanced Engineering Technician</u>	DATE <u>6-21-85</u>
APPROVED BY <u>ORIGINAL SIGNED BY EDDIE SEAY</u>	TITLE <u>OIL & GAS INSPECTOR</u>	DATE <u>JUN 25 1985</u>
CONDITIONS OF APPROVAL, IF ANY:		

RECEIVED

JUN 24 1985

022
HOSB 6-24-85