

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPPLICATE.

AREA 640 ACRES
LOCATE WELL CORRECTLY
Warren-Bradshaw Exploration Co., &

(Company or Operator)

State "B"

(Lease)

Well No. 2, in SW $\frac{1}{4}$ of SE $\frac{1}{4}$, of Sec. 20, T. 17S, R. 33E, NMPM.Maljamar

Pool,

Lee

County.

Well is 660 feet from S line and 1980 feet from E line of Section 20. If State Land the Oil and Gas Lease No. is _____.Drilling Commenced 4-29, 19 55. Drilling was Completed 5-27, 19 55.Name of Drilling Contractor Warren-Bradshaw Exploration Co.Address National Bank of Tulsa Bldg., Tulsa 3, Okla.Elevation above sea level at Top of Tubing Head 4167. The information given is to be kept confidential until _____, 19 _____.

OIL SANDS OR ZONES

No. 1, from 4239 to 4393 No. 4, from _____ to _____

No. 2, from _____ to _____ No. 5, from _____ to _____

No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.

No. 2, from _____ to _____ feet.

No. 3, from _____ to _____ feet.

No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8	28	New	209	None	-	-	Surface
5 1/2	14	New	4239	Baker	-	-	Oil string

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11 "	8 5/8	309	200	Haliburton		
7 7/8"	5 1/2	4239	150	Haliburton		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Bailed one BOPD nat.Fractured w/12,000 gal. oil & 12,000 lb. sd, 4230' to 4393'Result of Production Stimulation Fl. 49 BOPD on 20/64" shk.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto:

TOOLS USED

Rotary tools were used from 0 feet to 4240 feet, and from _____ feet to _____ feet.

Cable tools were used from 4240 feet to 4393 feet, and from _____ feet to _____ feet.

PRODUCTION

Put to Producing.....**5-31**....., 19**55**

OIL WELL: The production during the first 24 hours was.....**49**.....barrels of liquid of which.....**100**.....% was oil;% was emulsion;% water; and.....% was sediment. A.P.I. Gravity.....**37.5**.....

GAS WELL: The production during the first 24 hours was.....M.C.F. plus.....barrels of liquid Hydrocarbon. Shut in Pressure.....lbs.

Length of Time Shut in.....

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy.....	1360	T. Devonian.....	T. Ojo Alamo.....
T. Salt.....	1470	T. Silurian.....	T. Kirtland-Fruitland.....
B. Salt.....	2600	T. Montoya.....	T. Farmington.....
T. Yates.....	2690	T. Simpson.....	T. Pictured Cliffs.....
T. 7 Rivers.....		T. McKee.....	T. Menefee.....
T. Queen.....	3620	T. Ellenburger.....	T. Point Lookout.....
T. Grayburg.....	4030	T. Gr. Wash.....	T. Mancos.....
T. San Andres.....		T. Granite.....	T. Dakota.....
T. Glorieta.....		T.	T. Morrison.....
T. Drinkard.....		T.	T. Penn.....
T. Tubbs.....		T.	T.
T. Abo.....		T.	T.
T. Penn.....		T.	T.
T. Miss.....		T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	170		Lime				
170	1360		Red Beds				
1360	2600		Salt & anhy.				
2600	3530		Anhy. & shale				
3530	4030		Lime & anhy.				
4030	4393		Sandy lime				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

June 13, 1955