NEW MEXICO OIL CONSERVATION COMMISSION

17

- F A



Form C-102 Supersedes C-128 Effective 1-1-65

		All distances must be t	ion the outer location	ntes of the Section	
Elk 0i1	A REAL PROPERTY OF THE OWNER WATER OF THE OWNER		Northeast	Kemnitz	Well No.
Unit Letter	Section 22	Fowniday	Dy-maps	County	
Actual Footage Loc		16 South	34 East	Lea	· · · · · · · · · · · · · · · · · · ·
1980		lorth he are	1980	test from the	East
Ground Level Elev.	Producing Fo Penn	rm at join	lindos	ignated	line Dedlcated Acreage:
1. Outline th	1. Outline the acreage dedicated to the subject we			•	320 Acres
2. If more the interest an	an one lease is nd royalty).	dedicated to the well	, outline each ar	id identify the owners	hip thereof (both as to working
Yes	No If a	iswer is "yes," type of	f consolidation _		ts of all owners been consoli-
No allowat	le will be assign	ed to the well notil all	interests based		solidated. (Use reverse side of communitization, unitization, been approved by the Commis-*
	1	Î			CERTIFICATION
	ł			1 he	reby certify that the information con-
	•		i	tain	ed herein is true and complete to the
	1	С. Га О. Х	;	hest	of my knowledge and belief.
	- +   See Ori   dated M	ginal Survey ay, 1960		- Ex ditu	
	HUMBLE	OIL & REFINING CO tate of New Mexic	MPANY 1430	Cong d	resident Y 1k Oil Company
	· · · · · · · · · · · · · · · · · · ·			2	/25/77
	         			show notes under is tr	reby certify that the well location in on this plat was plotted from field s of actual surveys made by me or r my supervision, and that the same ue and correct to the best of my ledge and belief.
	   				ενογος]
	1 1 1				red Professional Engineer Land Surveyor
			1		
330 660 90	1320 1650 1980	2310 2640 2000	1500 Logio	500 a	ute No.



÷.

1. . 1. . 1. .

	Petroieu		RELO KEI	nni t <i>a</i>		Copyrigh STATE NM_	<u>t</u>
COUNTY	LEA	OIL CO.	PIELO INCI				01931
	2	and the second division of the second divisio	theast Kemp	itz			3-7 NM
MO			S, R34E			NAP	· · · · · · · · · · · · · · · · · · ·
			1980' FEL o	f Sec		CO-080	
·			Buckeye			ELEV .	
Re	$-\frac{0}{11-3}$	0-76 Re	2-20-77	WELL CLASS: INIT.	DD	FIN DG	
<u> </u>				FORMATION	DATUM	FORMATION	DATUM
			w/400 sx				
			w/1150 sx				
51	/2" at	13,450	' w/1000 sx				<u></u>
				<sup>™</sup> 13,450 <sup>™</sup>	(MSSP)	PBD	
TP	(Morro	w) Perf	s 13,240-38	6' F 800 MC	CFGPD. Po	ot based or	n 24 hr
					• /		
CONTR				PR'SELEV 10851	GL,4096	י חד <sup>יים</sup> 1	3,400'
$\frown$							
$\frown$							
		T.	R 11-22-76	OWDD			
			R. 11-22-76 ennsylvaniat	OWDD			
		(P	ennsylvania	n)	ning Co.	#2 State	"BB",
		(P (0		n) Oil & Refi	ning Co. OWDD &	#2 State D&A 8-25-6	"BB", 51,
		(P) (0) D& OT	ennsylvanian rig. Humble A 7-7-60, 01 D 11,639')	n) Oil & Refi ID 10,850';	OWDD & 3	D&A 8-25-6	51,
3-1	19–77	(P) (0 D& OT AM	ennsylvanian rig. Humble A 7-7-60, 01 D 11,639') END FIELD NA	n) Oil & Refi FD 10,850'; AME: Former	OWDD & 3	D&A 8-25-6	51,
	L9–77 25–77	(P) (O D& OT AM TD	ennsylvanian rig. Humble A 7-7-60, 01 D 11,639') END FIELD NA 13,450'; "2	n) Oil & Refi FD 10,850'; AME: Former Fight"	OWDD & 3	D&A 8-25-6	51,
1-2		(P (O D& OT AM TD TD	ennsylvanian rig. Humble A 7-7-60, 01 D 11,639') END FIELD NA 13,450'; "2 13,450'; P2	n) Oil & Refi ID 10,850'; AME: Former Tight" rep Perf	OWDD & 3	D&A 8-25-6	51,
1-2	25-77	(P (O D& OT AM TD TD De	ennsylvanian rig. Humble A 7-7-60, 01 D 11,639') END FIELD NA 13,450'; " 13,450'; Pr epened 11,6	n) Oil & Refi ID 10,850'; AME: Former Tight" rep Perf 39-13,450'	OWDD & 3	D&A 8-25-6	51,
1-2 2-2	25 <b>-</b> 77 7-77	(P (O D& OT AM TD TD De Ra	ennsylvanian rig. Humble A 7-7-60, 01 D 11,639') END FIELD NA 13,450'; " 13,450'; Pr epened 11,61 n 5 1/2" cs	n) Oil & Refi FD 10,850'; AME: Former Fight" rep Perf 39-13,450' g	OWDD & 1	D&A 8-25-6	51,
1-2 2-3 2-3	25-77 7-77 22-77	(P (O D& OT AM TD De Ra TD	ennsylvanian rig. Humble A 7-7-60, 01 D 11,639') END FIELD NA 13,450'; " 13,450'; P epened 11,6 n 5 1/2" cs 13,450'; Ta	n) Oil & Refi FD 10,850'; AME: Former Tight" rep Perf 39-13,450' g stg "Tight"	OWDD & 1	D&A 8-25-6	51,
1-2 2-2 2-2	25-77 7-77 22-77 28-77	(P (O D& OT AM TD TD De Ra TD TD	ennsylvanian rig. Humble A 7-7-60, 01 D 11,639') END FIELD NA 13,450'; " 13,450'; P epened 11,60 n 5 1/2" cs 13,450'; T 13,450'; "	n) Oil & Refi FD 10,850'; AME: Former Tight" rep Perf 39-13,450' g stg "Tight" Tight"	OWDD & 1	D&A 8-25-6	51,
1-2 2-2 2-2	25-77 7-77 22-77	(P (O D& OT AM TD De Ra TD TD TD	ennsylvanian rig. Humble A 7-7-60, 01 D 11,639') END FIELD NA 13,450'; " 13,450'; P epened 11,61 n 5 1/2" cs 13,450'; T 13,450'; "	n) Oil & Refi FD 10,850'; AME: Former Tight" rep Perf 39-13,450' g stg "Tight" Tight" OSP	OWDD & 1	D&A 8-25-6	51,
1-2 2-2 2-2	25-77 7-77 22-77 28-77	(P (O D& OT AM TD De Ra TD TD TD TD Pe	ennsylvanian rig. Humble A 7-7-60, 02 D 11,639') END FIELD NA 13,450'; "2 13,450'; "2 13,450'; Ta 13,450'; Ta 13,450'; Wu 13,450'; Wu rf (Morrow)	n) Oil & Refi FD 10,850'; AME: Former Fight" rep Perf 39-13,450' g stg "Tight" OSP 13,240-386	OWDD & 3	D&A 8-25-6	51,
1-2 2-2 2-2	25-77 7-77 22-77 28-77	(P (O D& OT AM TD De Ra TD TD TD TD Pe	ennsylvanian rig. Humble A 7-7-60, 01 D 11,639') END FIELD NA 13,450'; " 13,450'; P epened 11,61 n 5 1/2" cs 13,450'; T 13,450'; " 13,450'; W	n) Oil & Refi FD 10,850'; AME: Former Fight" rep Perf 39-13,450' g stg "Tight" OSP 13,240-386	OWDD & 3 ly repor gals (10	D&A 8-25-6	51,
1-2 2-2 2-2	25-77 7-77 22-77 28-77	(P (O D& OT AM TD De Ra TD TD TD TD Pe	ennsylvanian rig. Humble A 7-7-60, 02 D 11,639') END FIELD NA 13,450'; "2 13,450'; "2 13,450'; Ta 13,450'; Ta 13,450'; Wu 13,450'; Wu rf (Morrow)	n) Oil & Refi FD 10,850'; AME: Former Fight" rep Perf 39-13,450' g stg "Tight" OSP 13,240-386	OWDD & 3 ly repor gals (10	D&A 8-25-6 ted as Und 0%)	51,
1-2 2-2 2-2	25-77 7-77 22-77 28-77	(P (O D& OT AM TD De Ra TD TD TD TD Pe	ennsylvanian rig. Humble A 7-7-60, 02 D 11,639') END FIELD NA 13,450'; "2 13,450'; "2 13,450'; Ta 13,450'; Ta 13,450'; Wu 13,450'; Wu rf (Morrow)	n) Oil & Refi FD 10,850'; AME: Former Fight" rep Perf 39-13,450' g stg "Tight" OSP 13,240-386	OWDD & 3 ly repor gals (10	D&A 8-25-6 ted as Und 0%)	51,

<del>معر</del> • • • • • • • • • • • • • • • • • • •		- 	ء
LEA ELK OIL CO.	Kemnitz 2 Northeast Kemnitz Sec 22, T16S, R34E	NM Page	#2
3-8-77	Continued Flwd @ 800 MCFGPD (13,240-386')		
3-14-77	TD 13,450'; Complete LOG TOPS: Strawn 11,990', Atoka 12,29	98'	
3-19-77	COMPLETION ISSUED		

3-3-7 NM IC 30-025-70232-76

.