



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico
WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

Bill Roden Sinclair State
(Company or Operator) (Lease)
Well No. 1, in SE 1/4 of NE 1/4, of Sec. 22, T. -15-S, R. -35-E, NMPM.
Undesignated Pool, Lea County.
Well is 1980 feet from North line and 660 feet from East line
of Section 22. If State Land the Oil and Gas Lease No. is E-3508
Drilling Commenced April 30, 1960 Drilling was Completed July 1, 1960
Name of Drilling Contractor Frank Frawley Drilling Company
Address 823 South Detroit, Tulsa, Oklahoma
Elevation above sea level at Top of Tubing Head 3984.8 GL The information given is to be kept confidential until
19.

OIL SANDS OR ZONES

No. 1, from None to No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.
No. 1, from 430 to 475 feet
No. 2, from 650 to 670 feet
No. 3, from to feet
No. 4, from to feet

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
13-3/8"	50#	Used	375'	-	-	-	Surface casing
8-5/8"	24# & 32#	New	4669.81	HOWCO	-	-	Interned.

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17 1/2"	13-3/8"	375'	300	Pump	8.2	Cem. circ.
11"	8-5/8"	4669.81'	1160	Pump	8.7	Cemented

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Result of Production Stimulation
Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 11226 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing Dry & abandoned, 19.

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in.

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anky	T. Devonian	T. Ojo Alamo
T. Salt	T. Silurian	T. Kirtland-Fruitland
B. Salt	T. Montoya	T. Farmington
T. Yates	T. Simpson	T. Pictured Cliffs
T. 7 Rivers	T. McKee	T. Menefee
T. Queen	T. Ellenburger	T. Point Lookout
T. Grayburg	T. Gr. Wash	T. Mancos
T. San Andres 4600	T. Granite	T. Dakota
T. Glorieta	T.	T. Morrison
T. Drinkard	T.	T. Penn
T. Tubbs 7435	T.	T.
T. Abo 8175	T.	T.
T. Permian 9810	T.	T.
T. Miss	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	375	375	Surf. soil, caliche, sand				
375	908	533	Sand, redbed				
908	1906	998	Redbeds				
1906	2411	505	Anhydrite & salt				
2411	3181	770	Anhy., salt				
3181	3501	320	Anhy. & salt streaks				
3501	3890	389	Anhy. & salt				
3890	4790	900	Anhydrite				
4790	8331	3541	Lime				
8331	9511	1180	Lime & shale				
9511	10838	1327	Lime				
10838	11111	273	Lime & shale breaks				
11111	11226	115	Lime & shale				
			T.D.				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

July 13, 1960

Company or Operator Bill Roden
Name

Address Box 767, Midland, Texas
Position Title Agent