

NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

## MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF		NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS	X	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL			

Midland, Texas

Place

March 20, 1952

Date

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico

Gentlemen:

Following is a notice of intention to do certain work as described below at the

Wilshire Oil Co., Inc. - Townsend

Well No. 1 in SE/4

Company or Operator

Lease

of Sec. 4, T. 16-S, R. 35-E, N. M. P. M., Wildcat Field

County.

## FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

1. Spot cement plugs in the intervals 13,300-13,400 (30 sxs) and 11,570-11,660' (25 sxs).
2. Run 5½" N-80 casing to 11,570, using a Larkin Cementrol shoe, a Larkin Flapper type Float Collar, Gist Centralizers on each third joint from bottom to 10,000'.
3. Cement 5½" casing at approximately 11,570' with 400 sx neat slow-set cement by top plug method. Determine top of cement behind casing.
4. Test 5½" casing with 1000 psi Hydraulic pressure for 30 min. If pressure drop does not exceed 50 psi in 30 min. will proceed.
5. Run Gamma-Ray Neutron log from Float Collar to surface
6. Perf. 5½" casing in the interval 11,470-11,520 and test for production.
7. If commercial production is not obtained from the above interval, it is planned to test the intervals 11,370-11,450 and 10,410-10,500 in the listed order.

Approved \_\_\_\_\_, 19\_\_\_\_  
except at follows:

Wilshire Oil Company, Inc.  
Company or Operator

By

Position District Petroleum Engineer  
Send communications regarding well to

Name Wilshire Oil Company, Inc.

Address 301 Leggett Bldg.

Midland, Texas

OIL CONSERVATION COMMISSION,

By

Title

