

COPIES RECEIVED		
DISTRIBUTION		
FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT - L" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- Dry Hole		5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
2. Name of Operator Mesa Petroleum Co.		5. State Oil & Gas Lease No.
3. Address of Operator 904 Gihls Tower West, Midland, TX 79701		7. Unit Agreement Name
4. Location of Well UNIT LETTER P 660 FEET FROM THE South LINE AND 660 FEET FROM THE East LINE, SECTION 15 TOWNSHIP 16S RANGE 35E NMPM.		8. Farm or Lease Name Blackmon
		9. Well No. 1
		10. Field and Pool, or Wildcat Undesignated
15. Elevation (Show whether DF, RT, GR, etc.) 3982' GR		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
CASING TEST AND CEMENT JOBS <input type="checkbox"/>	
OTHER <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Cleaned out old hole to 10,633'. Set CIBP at 10,615' with 15' of cement on top. Evaluated Wolfcamp perms from 10,240'-252' and 10,292'-302' as being non-commercial. After obtaining verbal approval from J. Runyan with NMOCC on April 13, 1976, commenced plug and abandonment on April 15, 1976. Set CIBP at 10,155' and dumped 7 sx cement on top of CIBP. PBTD 10,120'. Spotted cement plugs as follows:

40 sx	8097'-8197'	across top of 7" stub and Abo
40 sx	6067'-6167'	across top of Glorietta
40 sx	4681'-4781'	across 9-5/8" shoe at 4732'
40 sx	1811'-1911'	across top of salt
10 sx	at surface	

Mud of 8.8 PPG was used between all cement plugs. Installed dry hole marker after welding plate on wellhead. Plugging operations were complete on 4-21-76.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Michael P. Houston TITLE Division Engineer DATE April 29, 1976

Orig. Signed by
John Runyan
Geologist

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

XC: 1-LMC, 1-JWH, 1-MEC, 1-JLF, 3-NMOCC, 1-Well file, 1-V-F Pet.

RECEIVED

APR 3 - 1976

U.S. CONSERVATION COMM.
HOBBS, N. M.