

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER: SWD		7. Unit Agreement Name
2. Name of Operator ARCO Oil and Gas Company Division of Atlantic Richfield Company		8. Farm or Lease Name Eidson "A" WN
3. Address of Operator P. O. Box 1710, Hobbs, New Mexico 88240		9. Well No. 3
4. Location of Well UNIT LETTER <u>L</u> <u>990</u> FEET FROM THE <u>West</u> LINE AND <u>1980</u> FEET FROM THE <u>South</u> LINE, SECTION <u>26</u> TOWNSHIP <u>16S</u> RANGE <u>35E</u> NMPM.		10. Field and Pool, or Wildcat Shoe Bar Penn
15. Elevation (Show whether DF, RT, GR, etc.) 3967'		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input checked="" type="checkbox"/> Repair Pkr, Test Tbg/Csg Annulus

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

RU 8/4/84 & POH w/injection assy & pkr. Found hole in tbg @ 4860', replaced 27 jts tbg. RIH w/Guiberson KVL-30 pkr (nickel plated) & 2-3/8" OD EUE injection tbg. Circulated tbg/csg annulus w/corrosion inhibited fresh water, set pkr @ 10,264'. Returned to injection on 8/7/84 on vacuum.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>R. L. Shackelford</u>	TITLE <u>Engrg. Tech. Spec.</u>	DATE <u>8/7/84</u>
ORIGINAL SIGNED BY <u>HEART LEXTON</u>		
APPROVED BY <u>DISTRICT 1 SUPERVISOR</u>	TITLE <u></u>	DATE <u>AUG - 9 1984</u>
CONDITIONS OF APPROVAL, IF ANY:		

RECEIVED

AUG - 8 1984

FOR THE
HOBBS OFFICE