



NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

~~RESTRICTED~~
WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

MID-WEST DRILLING CO., Inc. Edison, N.J.
(Company or Operator)

(Lease)

Well No. 3, in NE 1/4 of SE 1/4, of Sec. 26, T. 16, R. 35, NMPM.

Undesignated (Shoe-Bar Form) Pool, Lea County.

Well is 660 feet from South line and 1900 feet from East line

of Section 26. If State Land the Oil and Gas Lease No. is

Drilling Commenced. Pumped 4/14/59, 19 Drilling was Completed. 5/16/59, 19

Name of Drilling Contractor. X-Port Well Serv.

Address. Hobbs, N. M.

Elevation above sea level at Top of Tubing Head. The information given is to be kept confidential until

3964.0L
3964.5

OIL SANDS OR ZONES

No. 1, from 10,100 to 10,116.5 No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
5-1/2"	15.5 & 17 1/2	N	10,800	Halliburton float shoe collar		10,100-10,106; 10,109-10,116.5'	Production string

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
7-7/8"	5-1/2" 10,800'		250 sz	Halliburton Paving		Chem Mud

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

10,500 gal acid

Result of Production Stimulation

400 BO 0 BW 24 hrs 1/2" ga

Depth Cleaned Out

• • •

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to TD feet, and from _____ feet to _____ feet.

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

PRODUCTION

Put to Producing.....5/16/99....., 19.....

OIL WELL: The production during the first 24 hours was 408 barrels of liquid of which 100% was oil;% was emulsion;% water; and% was sediment. A.P.I. Gravity.....

GAS WELL: The production during the first 24 hours was.....M.C.F. plus.....barrels of
liquid Hydrocarbon. Shut in Pressure.....lbs.

Length of Time Shut in.....

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy.....	T. Devonian.....	T. Ojo Alamo.....
T. Salt.....	T. Silurian.....	T. Kirtland-Fruitland.....
B. Salt.....	T. Montoya.....	T. Farmington.....
T. Yates.....	T. Simpson.....	T. Pictured Cliffs.....
T. 7 Rivers.....	T. McKee.....	T. Menefee.....
T. Queen.....	T. Ellenburger.....	T. Point Lookout.....
T. Grayburg.....	T. Gr. Wash.....	T. Mancos.....
T. San Andres.....	T. Granite.....	T. Dakota.....
T. Glorieta.....	T.	T. Morrison.....
T. Drinkard.....	T.	T. Penn.....
T. Tubbs.....	T.	T.
T. Abo.....	T.	T.
T. Penn.....	T.	T.
T. Miss.....	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
			This is recompletion of old P&A Formation record filed previously				
			2 copies electric log attached				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

June 1, 1959

.....
(Date)

Company or Operator Mid-West Brlg. Mnd Co., Inc.

Address.....**Box 1373 Lovington, New Mexico**.....

Name Harold Kunnels

Position Title.....