

NEW MEXICO OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO HOBBS OFFICE OCC

MISCELLANEOUS NOTICES

1962 MAY 22 AM 9:37

SUBMIT THIS NOTICE IN TRIPPLICATE TO THE DISTRICT OFFICE, OIL CONSERVATION COMMISSION, BEFORE THE WORK SPECIFIED IS TO BEGIN. A COPY WILL BE RETURNED TO THE SENDER ON WHICH WILL BE GIVEN THE APPROVAL, WITH ANY MODIFICATIONS CONSIDERED ADVISABLE, OR THE REJECTION BY THE COMMISSION OR AGENT, OF THE PLAN SUBMITTED. THE PLAN AS APPROVED SHOULD BE FOLLOWED, AND WORK SHOULD NOT BEGIN UNTIL APPROVAL IS OBTAINED. SEE ADDITIONAL INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION.

INDICATE NATURE OF NOTICE BY CHECKING BELOW

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (NITRO)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER) Dually Complete	X	NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

Hobbs, New Mexico

May 21, 1962

(PLACE)

(DATE)

GENTLEMEN:

FOLLOWING IS A NOTICE OF INTENTION TO DO CERTAIN WORK AS DESCRIBED BELOW AT THE

Humble Oil & Refining Company D. H. Crockett WELL NO. 1 IN C  
(COMPANY OR OPERATOR) (UNIT)  
NE 1/4 NW 1/4 OF SEC. 21, T. 15S, R. 36E, NMPM., Caudill, Devonian POOL  
(40-ACRE SUBDIVISION)  
Lea COUNTY.

FULL DETAILS OF PROPOSED PLAN OF WORK  
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

Dual approved on O.C.C. Order R-2208.

1. Pull rods and tubing.
2. Run gamma-ray collar log 10150 to 10650'.
3. Perforate Wolfcamp from log, approximately 10542-10580.
4. Set non-retrievable packer on wire line at 10690'.
5. Run 2-inch string of tubing with latch-in assembly on bottom and a dual string anchor spaced at 10590'. Space out.
6. Run 1-1/4" string and latch-in to anchor. Space out.
7. Acidize perforations 10542-10580' with 2000 gallons non-emulsion acid down through 1-1/4-inch string.
8. Swab test. Place Wolfcamp on production.
9. Set Otis seating nipple in 2-inch string at approximately 5000'.
10. Run rods and double displacement pump and place Devonian on production.

APPROVED \_\_\_\_\_, 19\_\_\_\_  
EXCEPT AS FOLLOWS:

APPROVED  
OIL CONSERVATION COMMISSION

BY \_\_\_\_\_

TITLE \_\_\_\_\_

Humble Oil & Refining Company

COMPANY OR OPERATOR

BY \_\_\_\_\_

POSITION Agent

SEND COMMUNICATIONS REGARDING WELL TO:

NAME Humble Oil & Refining Company

ADDRESS Box 2347, Hobbs, N. M.