

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.
#13600

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Cities Service Oil Company	8. Farm or Lease Name State AW
3. Address of Operator P. O. Box 69 - Hobbs, New Mexico 88240	9. Well No. 2
4. Location of Well UNIT LETTER J 1980 FEET FROM THE South LINE AND 1980 FEET FROM THE East LINE, SECTION 35 TOWNSHIP 15S RANGE 36E NMPM.	10. Field and Pool, or Wildcat Dean Devonian
15. Elevation (Show whether DF, RT, GR, etc.) 3861 DF	12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TD 13657 - We propose to plug and abandon this well in the following manner:

1. Load hole w/mud laden fluid.
2. Set CI bridge plug @ 10116 above Devonian perms. (13626-13650)
3. Dump two sack cement plug on top of bridge plug.
4. Shoot off and recover approximately 8900' 5 1/2" casing.
5. Displace 25 sack cement plug 1/2 in and 1/2 out of 5 1/2" casing stub.
6. Displace 25 sack plugs @ 6500' and 4946'.
7. Displace 15 sack plug in top of 13 3/8 from G.L. to 15 ft.
8. Install dry hole marker.
9. Cover and level pit; clear location of all material and debris.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED ORIGINAL SIGNED
R. D. ROBERTSON TITLE District Admin. Supervisor DATE February 16, 1971

APPROVED BY [Signature] TITLE SUPERVISOR DISTRICT DATE FEB 18 1971

CONDITIONS OF APPROVAL, IF ANY:

25000 @ TOL 1/10

RECEIVED

FEB 17 1971

OIL CONSERVATION COMM.
HON. R. M.