

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd, Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.

30-015-03716

5. Indicate Type of Lease

STATE ☐

FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

J.P. Dean

8. Well No.

1

9. Pool name or Wildcat

Dean Permo Penn

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well

☒ Oil
Well

☐ Gas
Well

☐ Other

2. Name of Operator

DEVON ENERGY CORPORATION (NEVADA)

3. Address of Operator

20 NORTH BROADWAY, SUITE 1500, OKLAHOMA CITY, OKLAHOMA 73102 (405) 235-3611

4. Well Location

Unit Letter N:660 Feet From The SOUTH

Line and 1980

Feet From The WEST

Line

Section 35

Township 15S

Range 36E

NMPM

Lea

County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

KB 3869'; DF 3868' GL 3855'

Check Appropriate Box To Indicate Nature Of Notice, Report, Or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: Recompletion to Strawn formation ☒

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103.

Began recompletion on July 29, 1996. On August 1, 1996, set CIBP @ 13,480', Squeezed csg leak @ 5738-6491' with 300 sx class cl "C" cement + 3% salt + .8% BA-10 bonding + 2% sm + .4% cd-32 @ 14.8 ppg yield = 1.35 cft/sx = 72 bbls slurry staged in last 5 bbls; final press 1800 psi. Drld out cmt & tested csg to 500 psi.

On August 8, 1996, Ran GR,CCL,CBL from 11720 - 9900'; TOC = 10235'.

Perforated Strawn from 11464', 65', 11503', 08', 10', 12', 14', 18', 20', 22', 30', 34', 36', 48', 50', 52', & 54', 1 JSPF (.32 holes)

Acidized Strawn perfs with 2000 gals 15% NEFE.

Ran 2 7/8" production tbg, SN set at 11,579'. Ran pump and rods. Began pump testing.

hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Diana M. Keys

TITLE ENGINEERING TECHNICIAN

DATE September 20, 1996

TYPE OR PRINT NAME Diana Keys

TELEPHONE NO. (405) 235-3611

This space for State use)

ORIGINAL SIGNED BY JERRY SEXTON

DISTRICT I SUPERVISOR

TITLE

Approved by
Conditions of approval, if any:

DATE SEP 25 1996

2

20 Days Decision dp

