

INJECTION WELL DATA SHEET

Greenhill Petroleum Corporation		Lovington San Andres Unit		
OPERATOR		LEASE		
#5	660 FNL & 600 FEL	36	T16S	R36E
WELL NO.	FOOTAGE LOCATION	SEC.	TOWNSHIP	RANGE

Tubular Data

Surface Casing

Size: 8 5/8" Cemented with 400 SX

TOC: Surface feet determined by calc

Hole size: 11"

Intermediate Casing

Size: 8 5/8" Cemented with 2160' SX

TOC: feet determined by

Hole Size:

Long String

Size: 5 1/2" Cemented with 200 SX

TOC: 3535' feet determined by 80% calc

Hole Size: 7 7/8"

Total Depth: 5130'

Injection Interval

4625 feet to 5130 feet
(perforated or open-hole, indicate which)

Tubing size 2 3/8 lined with IPC set in a
(material)
waterflood tension packer packer at 4605 feet.
(brand & model)
(or describe any other casing-tubing seal).

Other Data

- Name of the injection formation San Andres
- Name of Field or Pool (If applicable) Lovington San Andres
- Is this a new well drilled for injection? No
If no, for what purpose was the well originally drilled? Production
- Has the well ever be perforated in any other zone(s)? List all such perforated intervals and give plugging detail (sacks of cement or bridge plug(s) used).
No
- Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area.
Underlying - Grayburg

Completed
1/30/40

2K66

8 5/8"
2160'

5 1/2"
4625'

TO 5130'