



STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT
OIL CONSERVATION DIVISION
HOBBS DISTRICT OFFICE

GARREY CARRUTHERS
GOVERNOR

9-4-90

POST OFFICE BOX 1980
HOBBS, NEW MEXICO 89241-1980
(505) 393-6161

R-9431

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

RE: Proposed:

MC _____
DHC _____
NSL _____
NSP _____
SWD _____
WFX ☒ _____
PMX _____

Gentlemen:

I have examined the application for the:

Greenhill Petroleum Corp.

Operator _____ Lease & Well No. Unit S-T-R

and my recommendations are as follows:

DID NOT CHECK CLOSELY AS PER

WELLS WERE NOT ATTACHED

Lovington San Andres lit #3-C 36-16-3

#5-A 36-16-3

#7-D 31-16-37

#10-D 36-16-36

#12-K "

#13-D "

#15-K 31-16-37

#17-D 31-16-37

#25-D 36-16-36

#31-C 1-17-36

#35-C 6-17-37

#37-A 6-17-37

#39-E 6-17-37

#40-H 1-17-36

#43-E 1-17-36

#45-D 2-17-36

#57-M 36-16-36

#58-E 31-16-37

Yours very truly,

Jerry Sexton
Jerry Sexton
Supervisor, District 1

/ed

INJECTION WELL DATA SHEET

Greenhill Petroleum Corporation

Lovington San Andres

OPERATOR		LEASE		
#13	1760' FSL & 440' FEL	36	16S	36E
WELL NO.	FOOTAGE LOCATION	SEC.	TOWNSHIP	RANGE

Tubular DataSurface CasingSize: 13 " Cemented with 225 SXTOC: Surface feet determined by calcHole size: ?Intermediate CasingSize: 8-5/8 " Cemented with 250 SXTOC: 2235 feet determined by calcHole Size: 11"Long StringSize: 5-1/2 " Cemented with 150 SXTOC: 2818 feet determined by calcHole Size: 6-3/4"Total Depth: 5068Injection Interval4518 feet to 5068 feet
(perforated or open-hole, indicate which)Tubing size 2-3/8" lined with IPC set in a
(material)waterflood tension packer at 4495 feet.
(brand & model)
(or describe any other casing-tubing seal).Other Data

- Name of the injection formation San Andres
- Name of Field or Pool (If applicable) Lovington San Andres
- Is this a new well drilled for injection? No
If no, for what purpose was the well originally drilled? Production
- Has the well ever be perforated in any other zone(s)? List all such perforated intervals and give plugging detail (sacks of cement or bridge plug(s) used. NO
- Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area.
Underlying-Grayburg

Completed
12-16-39

-299'
 13"

 -3003'
 8 5/8"

 -4518'
 5 1/2"

 -5068'
 TO





