

Santa Fe, New Mexico

NOV 13 1951

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Bartlesville, OklahomaNovember 8, 1951

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

Phillips Petroleum CompanyFonzoWell No. 1in NW 1/4 NW 1/4

Company or Operator

Lease

of Sec. 35, T. 14S, R. 37E, N. M., P. M., Field, Lea County.

N

The well is 660 feet (XX) (S.) of the North line and 660 feet (XX) (W.) of the East line of NW 1/4

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. --- Assignment No. ---If patented land the owner is G. M. Shelton & wife, et alAddress Midland, TexasIf government land the permittee is ---Address ---The lessee is Phillips Petroleum Company Reese Cleveland (Assignor)Address Bartlesville, Oklahoma

AREA 640 ACRES

LOCATE WELL CORRECTLY

to depth sufficient to test the Devonian.

We propose to drill well with drilling equipment as follows: Drill with rotaryThe status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Bond

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Backs Cement
17 1/4"	13 3/8"	27.3#	New	300'	Cemented	Circulate
11"	8 5/8"	28 & 32#	New	4800'	Cemented	Circulate
7 7/8"	5 1/2"	17 & 20#	New	12750'	Cemented	Sufficient cement to tie in base of 8 5/8"

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 12750 feet.

Additional information:

NOV 20 1951

Approved _____, 19

except as follows:

Sincerely yours,

Phillips Petroleum Company

Company or Operator

By R. D. Pulsifer

Assistant Chief Clerk


Position

Send communications regarding well to

Name Mr. C. P. Dimit, Vice PresidentPhillips BuildingAddress Bartlesville, Oklahoma

OIL CONSERVATION COMMISSION,

By Ray W. H. H. H.Title Oil & Gas Inspector



PHILLIPS PETROLEUM CO. BARTLESVILLE, OKLA.

FONZO LEASE-40.0 ACRES
N.E. $\frac{1}{4}$ OF N.W. $\frac{1}{4}$ OF SEC. 35, T. 14 S. R. 37 E.
LEA CO. NEW MEXICO.

DRAWN BY: R.E.V.

11-8-51

SCALE 1"=1000'

CONTRACT NO.

DRAWING NO.

R. L. Pulsifer

I,....., being first duly sworn on oath, state that I have knowledge of the facts and matter herein set forth on this plat and that the same are true and correct.

Name.....*R. L. Pulsifer*..... Title..... Asst. Chief Clerk

Subscribed and sworn to before me this..... day of..... NOV. 9..... 1951....., 19....
Notary Public..... Washington..... County..... Okla.

My Commission Expires Aug. 15, 1952

Ray E. Huling
RAY E. HULING