

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 87240  
District II  
811 South First, Artesia, NM 87210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources  
**OIL CONSERVATION DIVISION**  
2040 South Pacheco  
Santa Fe, NM 87505

Form C-103  
Revised March 25, 1999

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. <b>30-025-05219</b>
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator <b>Stephens &amp; Johnson Operating Co.</b>		6. State Oil & Gas Lease No.
3. Address of Operator <b>P O Box 2249, Wichita Falls, TX 76307-2249</b>		7. Lease Name or Unit Agreement Name: <b>Denton North Wolfcamp Unit Tract 7</b>
4. Well Location Unit Letter <b>D</b> : <b>510</b> feet from the <b>North</b> line and <b>330</b> feet from the <b>West</b> line Section <b>36 (NW NW)</b> Township <b>14S</b> Range <b>37E</b> NMPM County <b>Lea</b>		8. Well No. <b>11</b>
10. Elevation (Show whether DR, RKB, RT, GR, etc.) <b>3806 GR</b>		9. Pool name or Wildcat <b>Denton Wolfcamp</b>

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	
<b>NOTICE OF INTENTION TO:</b> PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPLETION <input type="checkbox"/> OTHER: <input type="checkbox"/>	<b>SUBSEQUENT REPORT OF:</b> REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> PLUG AND ABANDONMENT <input type="checkbox"/> CASING TEST AND CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

**Shut in Producing Well. Last produced 5-96. On 4-2-97 set CIBP @ 9100' w/5 sks cement on plug.**

THE COMMISSION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS FOR THE C-103 TO BE APPROVED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE \_\_\_\_\_ TITLE **Manager of Operations** DATE **6-25-02**

Type or print name **Peyton S. Carnes, Jr.** Telephone No. **940-723-2166**  
(This space for State use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
Conditions of approval, if any:

ORIGINAL FILED BY  
C-103

TITLE

DATE

MANAGER OF OPERATIONS

JUL 30 2002


DENTON NORTH WOLFCAMP UNIT WELL NO. 7-11

Plugging Procedure:

- 1) Run tubing to 9075', tag plug and load hole with 9.5# mud laden salt water and spot 25 sacks. Tag plug.
- 2) Spot 25 sack plug @ 8100' in 7" casing.
- 3) Cut 7" casing at 6000'. Pull casing.
- 4) Spot 75 sack plug 50' inside of 7" casing stub (6050') to 5820' inside of 8 3/4" hole. Tag plug.
- 5) Spot 60 sack plug 50' below intermediate casing shoe at 4829' to 4707' inside of 9 5/8" casing. Tag plug.
- 6) Spot 50 sack plug at 3150' in 9 5/8" casing.
- 7) Spot 50 sack plug at 2200' in 9 5/8" casing.
- 8) Perforate 9 5/8" casing at 376', circulate hole and pump 300 sacks of cement leaving casing and annulus full of cement.
- 9) Cut off casing 3' below ground and install permanent marker.

Diagrammatic Well Sketch  
Denton No. 1 Wolfcamp Unit Well 7-11  
Denton No. 1 (Wolfcamp) Field  
Lea County, New Mexico

Elevation: 3,806'



5-19-78  
 1EW