

RECEIVED

NEW MEXICO OIL CONSERVATION COMMISSION

AUG 13 1951 Santa Fe, New Mexico

OIL CONSERVATION COMMISSION  
NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Midland, Texas

Place

July 25, 1951

Date


OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as The Atlantic Refining Co., E. C. Dickinson "A" Well No. 2 in SW/4

Company or Operator Lease  
of Sec. 1, T. 15-S, R. 37-E, N. M., P. M., Denton Field, Lea County.

N



AREA 640 ACRES

LOCATE WELL CORRECTLY  
from surface to total depth of 9,600 feet

The well is 1980 feet (N.) NE of the South line and 660 feet (E.) NE of the West line of Section 1

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. \_\_\_\_\_ Assignment No. \_\_\_\_\_

If patented land the owner is Bettie C. Dickinson Estate

Address % McWhorter, Howard & Cobb, Lubbock, Texas

If government land the permittee is \_\_\_\_\_

Address \_\_\_\_\_

The lessee is The Atlantic Refining Company

Address Box 871, Midland, Texas

We propose to drill well with drilling equipment as follows: rotary tools

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Bond No. 44120 (General Casualty Co. of America) in effect.

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
17 1/2"	13 3/8"	48#	New	300'	Cemented	500
12 1/4"	9 5/8"	36# & 40#	"	4730'	"	2500
8 3/4"	7"	23# & 26#	"	9500'	"	650

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 9200 feet.

Additional information:

See plat attached.

Approved AUG 10 1951, 19\_\_\_\_

except as follows:

Sincerely yours,

THE ATLANTIC REFINING COMPANY  
Company or Operator

By J. E. Frick T. C. Frick

Position Division Operations Supervisor

Send communications regarding well to

Name Applicant, Attn: T. C. Frick

Address Box 871, Midland, Texas

OIL CONSERVATION COMMISSION,

By L. R. Spurr  
Title SECRETARY DIRECTOR



DATE: 7-23-51
REV.:
A 1751

