


N.



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

Gulf Oil Corporation (Company or Operator) Lea State "NG" (Lease)

Well No. 6, in NW 1/4 of SE 1/4, of Sec. 2, T. 15-S, R. 37-E, NMPM.

Denton-Wolfcamp Pool, Lea County.

Well is 2310 feet from South line and 2310 feet from East line of Section. 2-15S-37E. If State Land the Oil and Gas Lease No. is B-11534.

Drilling Commenced 11-25-52, 19. Drilling was Completed 1-18-53, 19.

Name of Drilling Contractor Admor Drilling Company

Address 1008 West 25th Street, Odessa, Texas

Elevation above sea level at Top of Tubing Head 3809'. The information given is to be kept confidential until 19.

OIL SANDS OR ZONES

No. 1, from 9050' to 9150' No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
13-3/8"	48#	New	316'				
9-5/8"	36#	New	4637'				
7"	23-26#	New	9196'			9050'-9150'	Production

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17-1/4"	13-3/8"	330'	400	HONCO		
12-1/4"	9-5/8"	4649'	2060	HONCO		
8-3/4"	7"	9207'	380	HONCO		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

NONE

Result of Production Stimulation NONE

Depth Cleaned Out

WORD OF DRILL-STEM AND SPECIAL TE.

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

PBTD 9165'

Rotary tools were used from 0 feet to 9208' feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing January 18, 1953, 19

OIL WELL: The production during the first 24 hours was 616 barrels of liquid of which 100 was oil; 0 % was emulsion; 0 % water; and 0 % was sediment. A.P.I. Gravity 44

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy.	T. Devonian.	T. Ojo Alamo.
T. Salt.	T. Silurian.	T. Kirtland-Fruitland.
B. Salt.	T. Montoya.	T. Farmington.
T. Yates.	T. Simpson.	T. Pictured Cliffs.
T. 7 Rivers.	T. McKee.	T. Menefee.
T. Queen.	T. Ellenburger.	T. Point Lookout.
T. Grayburg.	T. Gr. Wash.	T. Mancos.
T. San Andres. 4600'	T. Granite.	T. Dakota.
T. Glorieta.	T.	T. Morrison.
T. Drinkard.	T.	T. Penn.
T. Tubbs.	T.	T.
T. Abo.	T.	T.
T. Penn.	T.	T.
T. Miss.	T.	T.

Wolfcamp Limestone 9120'

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	35'		Caliche		9208		Lime
	181		Sand & Surface Rock		9165		PLUGGED BACK TOTAL DEPTH
	230		Surface Rock				
	260		Red Rock				
	517		Red Bed				
	1272		Red Bed & Anhydrite				
	1585		Red Rock & Red Bed				
	1819		Red Bed				
	2082		Red Bed & Anhydrite				
	2144		Gyp & Anhydrite				
	2212		Anhydrite w/Salt Streaks				
	2357		Anhydrite & Salt				
	2665		Salt, Gyp & Anhydrite				
	2946		Salt & Anhydrite				
	3045		Salt, Anhydrite & Gyp				
	3263		Anhydrite, Gyp, Salt Stks.				
	4135		Anhydrite & Gyp				
	4182		Anhydrite				
	4376		Anhydrite & Gyp				
	4413		Anhydrite, Gyp & Shale				
	4458		Anhydrite & Gyp				
	4638		Anhydrite, Gyp & Shale				
	4650		Anhydrite & Lime				
	9114		Lime				
	9182		Lime & Shale				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

January 21, 1953

(Date)

Company or Operator Gulf Oil Corporation

Address Box 2167, Hobbs, New Mexico

Name

Position or Title Area Prod. Supt.

LEA STATE "G" #6

DEVIATION - TOTCO SURVEYS

<u>DEPTH</u>	<u>DEG. OFF</u>	<u>DEPTH</u>	<u>DEG. OFF</u>
119'	1/4	4650	1-1/2
160	1/2	4863	1/2
330	0	5032	3/4
595	1/2	5233	3/4
855	1/2	5486	1/4
1106	3/4	5770	3/4
1500	1/4	6012	1/2
1750	1/2	6282	1/4
2072	1/2	6484	1/4
2290	1-1/4	6740	3/4
2608	1/4	6941	1
2857	1/2	7425	3/4
3010	3/4	7502	1-1/4
3263	3/4	7800	1-1/4
3495	1	8197	1-1/4
3730	0	8550	2
3900	1/2	8630	1-3/4
4143	1	8733	1-3/4
4275	0	8893	1-3/4
4376	1-1/4	8968	1-3/4
4490	3/4	9208	2

NO DRILL STEM TEST TAKEN