

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Minerals and Natural Resources Department

Form C-183
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
2040 Pacheco St.
Santa Fe, NM 87505

WELL API NO.

30-025-05265

5. Indicate Type of Lease

STATE ☐

FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Arco

8. Well No.

4

9. Pool name or Wildcat

Denton Wolfcamp

1. Type of Well:

OIL
WELL ☒

GAS
WELL ☐

OTHER

2. Name of Operator

Polaris Production Corp.

3. Address of Operator

415 W. Wall Midland, TX 79701

4. Well Location

Unit Letter A : 960 Feet From The N Line and 330 Feet From The E Line

Section 3

Township 15-S

Range 37-E

NMPM Lea

County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

11.

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Set CIBP @ 9200' - 35' cmt on top
spot 35x45 @ 6200 - 6100'
Spot 35x45 @ 4785 - 4685
Spot 35x45 @ top of salt
Spot 35x45 @ 410 - 310
Spot 105x45 @ 30' - surface
Cir. 9.5# mud
Install dry hole marker

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

[Signature]

TITLE

Agent

DATE

10-20-97

TYPE OR PRINT NAME

Rick Smith

TELEPHONE NO.

915
586-3076

(This space for State Use)

ORIGINAL SIGNATURE OF DISTRICT SUPERVISOR

APPROVED BY

TITLE

DATE

OCT 29 1997

CONDITIONS OF APPROVAL, IF ANY:

THE COMMISSION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS FOR THE C-103 TO BE APPROVED.

dp

ARGO No. 4

13 $\frac{7}{8}$ " @ 360 w/ 350 sx. 10-17-52
(Cement circ.)

Drilled 11" hole.

Top 5 $\frac{1}{2}$ " Liner
@ 4523

8 $\frac{5}{8}$ " Csg. @ 4735 w/ 3000 sx. 10-29-52
(Cement circ.)

Drilled 7 $\frac{7}{8}$ " hole.

Perfs. 9275 - 9330

TD 9425

5 $\frac{1}{2}$ " 15.50 # ST&C Liner 4523 - 9420 12-2-
Cem w/ 900 sx. Rev. out 175 sx.

03

1.1