

OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

RECEIVED

APR 17 1951

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	<input checked="" type="checkbox"/>	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

4-16-51

Hobbs, New Mexico

Date

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO
Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____

Phillips Petroleum Company Denton Well No. 3-A in the
Company or Operator Lease
NW/4 NE/4 of Sec. 11, T. 15-S, R. 37-E, N. M. P. M.,
Denton Field, Lea County.

The dates of this work were as follows: 4-13-51

Notice of intention to do the work was ~~(submitted)~~ submitted on Form C-102 on 4-16-51 19____
and approval of the proposed plan ~~was~~ (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Well spudded 4:00 A.M. 4-12-51. Ran 8 joints, 320', of 13-3/8" OD 27.3# Armaco Spiral Weld casing set at 337.73'. Cemented with 350 sacks regular cement. Pumped plug to 318'. Cement circulated to surface. Tested casing before and after drilling plug. No pressure loss.

Witnessed by D. M. Barton Phillips Petroleum Company Foreman
Name Company Title

Subscribed and sworn before me this _____

I hereby swear or affirm that the information given above is true and correct.

16 day of April 19 51

Name W. G. Johnston

Position District Chief Clerk

Representing Phillips Petroleum Company
Company or Operator

Notary Public

My Commission Expires November 26, 1954

My commission expires _____

Address Box 1605 Hobbs, New Mexico

Remarks:

APPROVED
APR 17 1951
Date _____

W. G. Johnston
Oil & Gas Inspector
Name
Title

Form C102
TRIPlicate

NEW MEXICO OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO
MISCELLANEOUS NOTICES

RECEIVED
APR 17 1951
OIL CONSERVATION COMMISSION
HOBBS-OFFICE

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL			

Hobbs, New Mexico
Place

4-16-51
Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the _____
Phillips Petroleum Company Denton Well No. 3-A in NW/4 NE/4
Company or Operator Lease
of Sec. 11, T. 15-S, R. 37-E, N. M. P. M., Denton Field.
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK
FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

Run 13-3/8" OD 27.3# Arceo Spiral weld casing to approximately 340', cement with 350 sacks cement, circulate cement to surface and test for shut-off.

Approved APR 17 1951, 19____
except as follows:

Phillips Petroleum Company
Company or Operator

By W. B. Croston

Position District Chief Clerk
Send communications regarding well to

Name _____

Address Box 1605 Hobbs, New Mexico

OIL CONSERVATION COMMISSION
By Nag yunkrueg
Title Oil & Gas Inspector

CONFIDENTIAL

SECRET

CONFIDENTIAL

SECRET

CONFIDENTIAL

SECRET

CONFIDENTIAL

SECRET

CONFIDENTIAL

SECRET

CONFIDENTIAL

SECRET

CONFIDENTIAL

SECRET

CONFIDENTIAL

SECRET

CONFIDENTIAL

SECRET

CONFIDENTIAL

SECRET

CONFIDENTIAL

SECRET

CONFIDENTIAL