

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Bartlesville, Oklahoma

4-17-1951

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

Phillips Petroleum Company

Denton

Well No. 3A

in NE/4

Company or Operator

Lease

of Sec. 11, T. 15S, R. 37E, N. M., P. M., Denton Field, Lea County.

N

The well is 660 feet (N) (S.) of the North line and 1939.5 feet (E) (W.) of the East line of NE/4 Section 11

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. - Assignment No. -

If patented land the owner is James M. Denton

Address Brownfield, Texas

If government land the permittee is -

Address -

The lessee is Phillips Petroleum Company J. H. McClure (Assignor)

Address Bartlesville, Oklahoma Midland, Texas

AREA 640 ACRES

LOCATE WELL CORRECTLY

We propose to drill well with drilling equipment as follows: Drill with rotary to depth sufficient to test the Devonian.

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket Bond

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
17-1/4	13-3/8	27.3#	new	300'	cemented	circulate
11"	8-5/8	28 & 32#	new	4800'	cemented	circulate
7-7/8	5-1/2	17 & 20#	new	11500	cemented	sufficient cement to tie in base of 8-5/8"

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 11,500 feet.

Additional information:

Well No. 3 was drilled to 583' and lost hole. Plugged No. 3 on 4-9-1951.

Skidded rig to drill No. 3A.

Approved _____ 1951, 19

except as follows:

Sincerely yours,

Phillips Petroleum Company

Company or Operator

By

Asst. Chief Clerk

Position

Send communications regarding well to

Name Mr. C. P. Dimit - Vice President

Address Bartlesville, Oklahoma

OIL CONSERVATION COMMISSION,

By

Title

Oil & Gas Inspector