UPLIC A	· NOT		NTENTIO	$\mathbf{N} \mathbf{TO} \mathbf{D}$		0	CT 10	1951
changes in the prop e sender. Submit thi	posed plan are co is notice in tripli	onsidered advisa	Rules 101 and 110 ble, a copy of th will be returned	is notice show	wing such roval.	ch All CON	SERVATION 10BBS-0	COMMIS:
	esville, Okl					Octob	er 3, 19	151
			Place				Date	
Notice hereby is gi Phillips Pet	troleum Comr) any	Dent	on well	No8		in SE/4	NW/4
	Company or Operato	r		ac	*			
	Company or Operato	75 N.M	P.M. Dent	On Pool,		88	C	ounty.
Sec, T N	Th	e well is	P. M., 59 feet	trom (N.) (S.) NW/4 Sect:	line and	,00	C	
Sec, T		e well is) (Give location f	feet feet feet feet feet feet feet feet	from (N.) (S.) NW/4 Sect: 	line and ion 11 rong direct	tions.)	feel	t from
Sec, T		e well is) (Give location f	feet feet feet feet feet feet feet feet	from (N.) (S.) NW/4 Sect: 	line and ion 11 rong direct	tions.)	feel	t from
Sec, T	The (E.	e well is (Give location f state land the oil patented land the dress government land	feet from section lines and gas lease is N e owner is the permittee is	from (S.) Nw/4, Sect: . Cross out wi James M. Brownfiel	ion 11 rong direct Assig Denton d, Texa	juu tions.) gnment No	fect	t from
Sec, T	The (E.)	e well is) (Give location f (Give location f state land the oil patented land the dress government land dress	feet from section lines and gas lease is N e owner is	from (S.) NW/4 Sect: Cross out wr James M. Brownfiel	ine and ion 11 rong direct Assig Denton d, Texa	J. H. Mc		t from

The status of a bond for this well in conformance with Rule 101 of the General Rules and Regulations of the Commission is as Blanket Bond. follows:

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
17 1/4" 11" 7 7/8"	13 3/8 ⁿ 8 5/8 ⁿ 5 1/2 ⁿ	27.3# 28 and 32# 17 and 20#	New New New	300* 4800* 9500*	Gemented Cemented Cemented	Circulate Circulate Sufficient cement to tie in base of 8 5/8

If changes in the above plans become advisable we will notify you before cementing or landing casing. We estimate that the **9500** first productive oil or gas sand should occur at a depth of about feet.

Additional information:

10-10 ,19.51

except as follows:

Approved.....

Phillips Petroleum Company By Company or Operator By Assistant Chief Clerk Position

	OIL CONS	ERVATIO	ON COMMI	SSION,
By	A	J .	Osla	m
Title	- S	ng	ined	
	0		U	,
		0		

Send communications regarding well to: Nr. C. P. Dimit, Vice President Name Bartlesville, Oklahoma

٠ 1

ŀ

•

.

٠



R. L. Pulsifer

I,...., being first duly sworn on oath, state that I have knowledge of the facts and matter herein set forth on this plat and that the same are true and correct. Name

Name..., . 40. . . Title. 007-4 Notary Pablic. Okla County. My Lorin Fiscion Expires Aug. 19, 1952 RAY E. HULING