NEW MEXICO OIL CONSERVATION COMMISSION

Santa, Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below: NOTICE OF INTENTION TO TEST CASING NOTICE OF INTENTION TO SHOOT OR SHUT-OFF CHEMICALLY TREAT WELL NOTICE OF INTENTION TO PULL OR NOTICE OF INTENTION TO CHANGE PLANS OTHERWISE ALTER CASING NOTICE OF INTENTION TO REPAIR WELL NOTICE OF INTENTION TO PLUG WELL NOTICE OF INTENTION TO DEEPEN WELL July 29 1939 Hobbs. New Mexico OIL CONSERVATION COMMISSION, JUPLICATE Santa Fe, New Mexico. Gentlemen: Following is a notice of intention to do certain work as described below at the State "O" SKELLY OIL COMPANY Well No. 2 in NW/4 SW/4 Company or Operator 37E , N. M. P. M., South Lovington Field,County. FULL DETAILS OF PROPOSED PLAN OF WORK FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION Drilled to depth of 324! and ran and camented 10-3/4" OD casing at 314 with 250 sx cement and 2 Sx Aquagel - Halliburton Process. Cement was circulated back into the bottom of the cellar. Will let set 48 hrs and on Sunday, July 30, at approximately 5:00 P. M. will drill plug and test for casing shut-off. Hobbs office **AUG 1** - '39 SKELLY OIL COMPANY 19 br Operator except as follows: Bv District Supt Position Send communications regarding well to Name Skelly Oll Company OIL CONSERVATION COMMISSION, Hobbs. New Mexico & GAS INSPECTOR

. If the Hubble bull of the

the analysis of the second		and the second	, i.
		•	
the state of the s			
		And the second second	
	40 114		. :
and the second of the second o			

		* * * * * * * * * * * * * * * * * * * *	The state of the s		
		9.0	and the second second	the second of th	
				4.7	
		-		f	
			¥ =		
,	*		2114		•

	No. 20 Sept. 10 Sept.
e et el	the state of the s

the second second		•

		1		٠.
**.	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			
			- :	1


			• •		* .	tur Anna Anna Anna Anna
				28, 11		
	•					
			4.0	4	47.4	

は、 だして、通りなどだった。 とはき かっしゃ とった かった Processing Company には 2000 できる こうしょう かっと こうしょう





en particulare de la companya de la La companya de la co





Job separation sheet

NEW EXICO OIL CONSERVATION CON SSION

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

				GA WGXT OC) amy	EC TROB
	RVATION COL	MMISSION,	Ріясе			LICAT
	hereby notified	that it is our intention	on to commence the	e drilling of a	well to be known as	
	LLY OIL C		State "C	IR	ـــا ليا	MH/W DW/
	npany or Operato	<u> </u>	Lea		Vell No. in T	
of Sec	31, _{T_} _16		, N. M. P.M., Sea			County.
	N.				South line and	818.7 feet
		(E.) (VK) of	the line	of Secti	lon 31 -	
		(Give location	from section or othe	er legal subdivis	sion lines. Cross out w	rong directions.)
		If state land t	he oil and gas lease	is No. B-789	6 Assignmen	9=1=
	-	If patented la	nd the owner is			TOPIN 1
-	_	1			וטו	-JIII
	_	If governmen	t land the permitte	ee is		2 2 1936
	_	_	•		42	
					Oil Company	DBBS OFFIC
				Tulsa.	Oklahoma	
AI	REA 640 ACRES					
LOCATE	WELL CORREC				as follows:	
	Rotary	tools from t	op so sorar	Comberre		
Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
124	10-3/4*	40#	New	2901	Comented	250
12 }" 8 -5/8"	10-3/4 7-5/8	26#	New	30001	Cemented	500
6-1/4	5-1/8"	17#	New	45501	Cemented	200
•	_					
Té changas	in the shave n	an become advisable	we will notify you	before cement	ing or landing casin	g. We estimate
that the fi	rst productive o	il or gas sand should	occur at a depth	of about 46	00 feet.	
Additional	information:	In asmenting i	the $10-3/4$	OD casin	t the cement	will be
airouls	ted back	into the both	tom or the	Cellar.	At the thine s	ITT CILLAG
s trings	of casir	ng is set and	comented s	rficient	time shall l	be allowed
for com	ent to the	coroughly set	percre cri.	rring bru	a stud caseruf	š •
Approved	JUL 4	2 '39	19 Sincere	ely yours,		
except as f	Collows:		* · · · · · · · · · · · · · · · · · · ·		LLY OIL COM	PANY
				():	ompan or operator	
			Ву	——— X .	11. K James	
			Positio	n / 23.8	trict Superin	ntendent
			. Send c	ommunication	regarding well to	U
OII	CONSERVATI	ON COMMISSION,		C K.E.	LLY OIL COMP	A 15than
Ву	VY WILL AL	arthrough	/Name		_	
Tit	SIL & GAS/II	NSPECTOR (/	Addres	s Hob	bs, New Mexic	30

in the second of the second o

States 2