

#58-E 31-16-37


INJECTION WELL DATA SHEET

Greenhill Petroleum Corporation		Lovington San Andres		
OPERATOR		LEASE		
#58	2310' FNL & 1309' FWL	31	16S	37E
WELL NO.	FOOTAGE LOCATION	SEC.	TOWNSHIP	RANGE

Tubular Data

Completed
5-15-41

deepen to 5070



Surface Casing

Size: 13 " Cemented with 180 SX
 TOC: Surface feet determined by circ
 Hole size: 17-1/4"

Intermediate Casing

Size: 8-5/8 " Cemented with 400 SX
 TOC: 860 feet determined by calc
 Hole Size: 11"

Long String

Size: 5-1/2 " Cemented with 200 SX
 TOC: 3479 feet determined by calc
 Hole Size: 7-7/8"
 Total Depth: 4990'

Injection Interval


4570 feet to 5070 feet
 (perforated or open-hole, indicate which)

Tubing size 2- /8 lined with IPC set in a
 (material)
 packer at 4550 feet.
 (brand & model)
 (or describe any other casing-tubing seal).

Other Data

- Name of the injection formation San Andres
- Name of Field or Pool (If applicable) Lovington San Andres
- Is this a new well drilled for injection? No
 If no, for what purpose was the well originally drilled? Production
- Has the well ever be perforated in any other zone(s)? List all such perforated intervals and give plugging detail (sacks of cement or bridge plug(s) used.
NO
- Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area.

Underlying-Grayburg



Well No. 57

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
COMPOSITE LAND UNIT

8

7

12

11

