

INJECTION WELL DATA SHEET

Greenhill Petroleum Corporation

Lovington Paddock

OPERATOR	LEASE			
12 - <u>B</u>	781' FNL & 660' FWL	31	16S	37E
WELL NO.	FOOTAGE LOCATION	SEC.	TOWNSHIP	RANGE

Tubular Data

Surface Casing

Size: 13 3/8 " Cemented with 350 SX

TOC: Surface feet determined by calc.

Hole size: 17 1/4

Intermediate Casing

Size: 9 5/8 " Cemented with 2600 SX

TOC: Surface feet determined by calc.

Hole Size: 12 1/4

Long String

Size: 7 " Cemented with 450 SX

TOC: 2675 feet determined by 70%

Hole Size: 8 1/4

Total Depth: 6250'

Injection Interval

6115 feet to 6248 feet
(perforated or open-hole, indicate which)


Tubing size 2 3/8 lined with IPC set in a
AD 1 PC (material)
packer at 6100 feet.
(brand & model)
(or describe any other casing-tubing seal).

Other Data

- Name of the injection formation Paddock
- Name of Field or Pool (If applicable) Paddock
- Is this a new well drilled for injection? No
If no, for what purpose was the well originally drilled? production
- Has the well ever be perforated in any other zone(s)? List all such perforated intervals and give plugging detail (sacks of cement or bridge plug(s) used. No
- Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area.
Above Glorieta

Spud Date
4-5-53

13 3/8 " 324'
9 5/8 " 4699'
7" TD 6250'



27

26

25

30

28

34

35

36

31

32

3

2

1

6

5

NOV 18 1996

NOV 18 1996
NOV 18 1996