

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-05388
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 8-7897

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

7. Lease Name or Unit Agreement Name State "p"

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>

8. Well No. 2

2. Name of Operator Texaco Exploration and Production Inc.

9. Pool name or Wildcat Lovington Paddock
--

3. Address of Operator P.O. Box 730 Hobbs, New Mexico 88240
--

4. Well Location Unit Letter <u>L</u> : <u>1980</u> Feet From The <u>South</u> Line and <u>380</u> Feet From The <u>West</u> Line Section <u>32</u> Township <u>16-S</u> Range <u>37-E</u> NMPM Lea County
--

10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3822' DF
--

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	
OTHER: <u>Abandon Paddock Zone</u> <input checked="" type="checkbox"/>	

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>	

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Notify NMOCD 24 hrs. prior to commencement of work.
2. MIRUPU. TOH w/ rods and tubing.
3. Tag plug @ 8260' and circulate hole with mud.
4. TIH w/ 5 1/2" CIBP set @ 6100'. Cap with 35' Class "C" Neat cement (4 sxs, 1.32 ft3/sack). Tag plug.
5. Perf 4 squeeze holes at 4400' (Top of Grayburg @ 4407').
6. TIH w/ 5 1/2" Cmt. Retainer set @ 4350'. Pump 500 gal Flowcheck and 75 sxs Class "C" Neat cement into perf's.
7. Drill out cement and retainer and circulate hole clean.
8. Test casing to 500 # for 30 min. Get chart for NMOCD.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE M.C. Duncan TITLE Engineer's Assistant DATE 1-23-92

TYPE OR PRINT NAME M.C. Duncan TELEPHONE NO. 393-7191

(This space for State Use)

ORIGINAL SIGNED BY STATE
DISTRICT I SUPERVISOR

APPROVED BY _____ TITLE _____ DATE JAN 27 '92

CONDITIONS OF APPROVAL, IF ANY: