

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

4-OCC
1-File

AUG 16 9 34 AM '65

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. B-7897	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>		7. Unit Agreement Name
2. Name of Operator Tidewater Oil Company		8. Farm or Lease Name State "P" STATE
3. Address of Operator Box 249, Hobbs, New Mexico		9. Well No. 7
4. Location of Well UNIT LETTER J 2310 FEET FROM THE East LINE AND 1650 FEET FROM THE South LINE, SECTION 32 TOWNSHIP 16 S RANGE 37 E NMPM.		10. Field and Pool, or Wildcat Lovington Paddock
15. Elevation (Show whether DF, RT, GR, etc.) 3807 DF		12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>
OTHER <input type="checkbox"/>	OTHER <input type="checkbox"/>
PLUG AND ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
CHANGE PLANS <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

This well is currently producing 9 BOPD from perforations 6153-6220'.
It is proposed to perforate and treat the lower zone, approximately
6270-6320' as follows:

Perforate 5-1/2" casing with one 3/8" hole at 6261, 73, 77,
95, 6300, 6311 and 6327'. Spot acid across new perforations.
Pick up and set packer at approximately 6250'. Acidize new perf-
orations with 10000 gals. gelled acid with 1 1/2 sand per gal.
and follow with 1000 gals. acid. Swab and test. Kill well,
pull 3-1/2" tubing, run 2-3/8" tubing and rods.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.		
Original Signed By		
SIGNED C. L. WADE	TITLE Area Supt.	DATE 8-13-65
APPROVED BY _____		
TITLE _____		
DATE _____		
CONDITIONS OF APPROVAL, IF ANY:		