

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in **TRIPPLICATE** to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL & Abandon	X	NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Midland, Texas

March 25, 1960

(Place)

(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the.....

SIGNAL OIL AND GAS CO. ET AL - **TEKELL STATE** Well No. **1** in **H** (Unit)
 (Company or Operator)
SE $\frac{1}{4}$ **NE** $\frac{1}{4}$ of Sec. **5**, T. **16-S**, R. **38E**, NMPM., **South Denton Devonian** Pool
 (40-acre Subdivision)
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK
 (FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

T.D. 13370

**13075 Baker model "D" pkr.w/plug &
 2 sax Hydromite
 9470 Baker model "C" bridge plug**

PROCEDURE

Casing Size - Wt.	Depth	Top of Cement
13-3/8 48#	355	surface
9-5/8" 36# & 40#	5000	2205
5 1/2" 17#, 20#, 23#	13370	7230

PERFORATIONS

13142-204 (squeezed), 13130-136,
 13090-124, 10119-125, 10078-082,
 10067-070, 10059-064, 9504-08,
 9537-53, 9576-93

1. Dump 2 sax Hydromite on bridge plug at 9470
2. Part 5 1/2" csg. at 7000"± and pull
3. Place 35 sax cement on 5 1/2" csg. stub
4. Part 9-5/8" csg. at 2000"± and pull
5. Place 65 sax cement on 9-5/8" csg. stub
6. Place 20 sax cement plug at surface with required marker

Approved....., 19.....

Except as follows.....

Approved
OIL CONSERVATION COMMISSION

By.....

Engineer District

Title.....

SIGNAL OIL AND GAS COMPANY

Company or Operator

By.....

P. J. Dorris

Position.....

Engineer

Send Communications regarding well to:

Name..... **Signal Oil and Gas Company**

Address..... **509 W. Texas Ave., Midland, Texas**