JIL CONSERVATION COMMISSIC Santa Fe, New Mexico

REQUEST FOR (OIL)-(GAS) ALLOWABLE

It is necessary that this form be submitted by the operator before an activated and completed oil or gas well. Form C-110 (Catting) of Compliance and Authorization to Transport 0il) will not be approved until Form C-104 is filed with the commission. Form C-104 is to be submitted in triplicate to the office to which Form C-101 was sent. Two copies will be retained there and the other submitted to the Provation Office, Hobbs, New Mexico. The allowable will be assigned effective 7:00 a.m. on date of completion, provided completion report is filed during month of completion. The completion date shall be that date in the case of an oil well when oil is delivered into the stock tanks. Gas must be reported on 15.025 P.B. at 60° Fahrenheit.

¥	4 30							.,,	2 -9-10 1911		
MORUMA	nt, New		lace						une 16, Date	1952	
									Date		
WE ARE HE	EREBY RE	QUESTIN	G AN ALL	OWABLE F	OR A WI	LL	KNOWN AS	:			
Amerada	Petrole	um Corp	oration	State	Tulk *	'An	Mall Na	1 4	C_NR .	. .	ML.
C	Company o	or Opera	a t o r	Le	ase		METT VO'	In	V-345 1/	4	_##1/4
section	5 .	т. 15-	S n 32	E N	мъм	75	.1 L	D 1		-	
section_	······································	+	- 1 (- <u> </u>		• M • 17 • M •		-	P001		_Les	County
Please in				ation_4							
, —	R-32-B										
1	n		Tota.	1 Depth_	7776.		P.F	3 9	770'		
	•		Top (011/Gas 1	Pay 9	730	Top	Nater	Pay	-	
			lnit;	ial Prod	uction	Tes	t: Pump_	33.41 _{F1}	OW	(F	SOPD OR CU.F
			Based	d on 133.	41 Bbls	. 0i	1 in	24 II	rs	,	Mins.
	Sect	#5	15Metho	od of Tes	st (Pit	ot,	gauge, p	rover.	neter rin	n):	
			8 Size	of choke	in in	ches	11 -	100" SPI	(-/ •	
			Tubir	ng (Size)	2-3/8	#OD	MIR L 74	6	00/11		
			Droce	unace f	Dark days	(D	200 40 / F	9 _	9704	<u>, </u>	Feet
			Piess	sures:]	_ gatabi	\ru	abrug)	Cas:	ing <u>(Pa</u>	eker)	
			Gas/U	il·Ratio		<i>)</i>		Grav	/ity_ 42	3 com	rected
		_ :	_1	1		OTA	ing Perf	orations	5 :		
Unit let	ter:	<u>'</u>				712	V' 60 9/				
				Record:					of Oil.Ga		
asing & (Set Set			Gals	973 0	to_	97581	S/	011		
Size	1991	Sax	2000	Gals	973 O ·	to_	97581	S/	011		
32 2/44	07/1			_ Gals_		ιυ_		3/			
13-3/8"	3761	300	5:100 (ing Reco	ora.	+-		S/			
8-5/8"	39351	1500				to	The state of the s	S/			
<u></u> //	2727.	7200		Qts		to_		S/			
5-1/2"	98101	300	ĺ					S/			
			Natur	al Produ	ction T	est	·	Pump	ing	************	Flowing
				after ac							
10000 4	14 4 - 3 -						4 61 1				
lease inc	ncate be	STOM FOR	rmation	Tops (in	conform	ance	e with ge	eographi	cal sect	ion of	'state):
	Sc	outheast	tern New	Mexico				Northwe	stern Ne	w Mexi	CO
• Anhy			a D	overies			_				
Salt_				evonian . ilurian .				Ojo Al	amo		
Salt				ontoya				Kirtia	nd-Fruit gtop	land	
Yates			_ T. S:	impson _			Т.	Pictur	gton ed_Cliff		
7 River			T • M •	cKee			т.	Cliff	House		
Queen			T. El	Henburge	er		T.	Menefe	e		
Graybur San And			$\mathbf{T} \cdot \mathbf{G}$	r. Wash _			Т•	Point	Lookout		
Gloriet				ranite _			T•	Mancos			
Drinkar	d		T• _ T• _				T•	Dako ta	·		
Tubbs								Morriso Donn	on		
Abo			_ T•				т				
Penn			_ T• _				т.				
. Wiss			nra .								

For Fremation Tops, Please See Log, C-105 This Well Is Producing From the Pennsylvanian Formation

oe line taking oil or ge	as: Stanolind Oil Purchasing Company (Tru
narks:	
,	
	Amerada Pe troleum Corporation Company or Operator
,	Company of Operator
-	By: DV / pp
	Position: Asst. Dist. Supt.
	Ą
nd communications regar	Y
	Name: Amerada Petroleum Cerporation
•	Address: Drawer D, Monument, New Mexi
APPROVED_	a - 90,1952
OIL CONS	ERVATION COMMISSION
MAL	un rehrallat
By: 4	Oil & Gas Inspector
Title:	T
~	
,	1

Submit this report in triplicate to the Oil Conservation Commission District Office within ten days after the work specified is completed. It should be signed and filed as a report on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

	Indica	te nature of r	report by checking	below.		
REPORT ON BEGINNII OPERATIONS	NG DRILLING		REPORT	ON REPAIRING W	ELL	
REPORT ON RESULT O	F SHOOTING OR		REPORT	ON PULLING OR (THERWISE	
CHEMICAL TREAT				RING CASING	J111210 W1512	
REPORT ON RESULT (SHUT-OFF	OF TEST OF CASING	3 X	REPORT	ON DEEPENING V	VELL	
REPORT ON RESULT (F PLUGGING OF W	ELL				
	*************************	Hay	14, 1952	Monua	ent, New 1	(exico
					Place	
rollowing is a report on the restance Petroleum	he work done and the Corporation	results obtaine	ed under the headin	g noted above at the) <u>.</u> 1	
The h	apany or Operator	•••••••••••••••••••••••••••••••••••••••	Lease	Well No		in
C/NE/4, NW/4 Cen	of Sec		, T 15- S	, R 32-	K ,	N. M. P.
Palk	Pool		Lea		******************************	Coun
he dates of this work we	re se follows:		May 13, 19			
nd approval of the propo	eed plan was (was deed plan was (was deed plan was (was deed plan was (was deed plan was deed plan was (was deed plan was deed plan wa	obtained. (Cr NT OF WORK 170 Prille Lime - Rai 151 casi:	ross out incorrect w OONE AND RES ed out Depth a Temperature og at 8624.	ords.) SULTS OBTAINED Survey - Four	nd top of	
nd approval of the propo	Total Depth/- cement outside calculated fil checked top of hour with 1000 tested casing Continued with	obtained. (Charles of Work Work Work Work Work Work Work Work	coss out incorrect we done and resided out Depth a Temperature og at 8624'. Ran 2- 3/8" 9743' and temperature of cement from with 1000 an operations.	Survey - Four Ratio of action OD Tog. W/4-1 sted 5½" casin 9743' to 97	nd top of ual to 3/4" bit a ng for 1/2 70' and	nd
nd approval of the propo 	Total Depth/- cement outside calculated fil checked top of hour with 1000 tested casing Continued with	obtained. (Charles of Work Work Work Work Work Work Work Work	coss out incorrect we done and resided out Depth a Temperature of at 8624. Ran 2- 3/8" 9743' and temperature of cement from our with 1000	Survey - Four Ratio of action OD Tog. W/4-1 sted 5½" casin 9743' to 97	nd top of ual to 3/4" bit a ng for 1/2 70' and	nd
itnessed by A. J.	Troop	obtained. (Char of Work Work Work Work Work Work Work Work	coss out incorrect we done and resided out Depth a Temperature of at 8624'. Ran 2- 3/8" 9743' and tend cement from with 1000 an operations. Petreleum Correctory Company	Survey - Four Ratio of action OD Tog. W/4-1 casin 9743' to 97% - no pressure or affirm that the	nd top of pal to 3/4" bit a ng for 1/2 70' and re drop.	nd
7998 - 4. J.	Troop Name	obtained. (Char of Work Work Work Work Work Work Work Work	coss out incorrect was DONE AND RESide out Depth a Temperature of at 8624. Ran 2- 3/8" 9743' and temperature with 1000 an operations Company I hereby swear is true and correct out with 1000 and company	Survey - Four Ratio of action OD Tog. W/4-1 casin 9743' to 97% - no pressure or affirm that the	nd top of ual to 3/4" bit as g for 1/270' and re drop. Farm Bos Title information g	ad s -
9998! -	Troop Name	obtained. (Char of Work Work Work Work Work Work Work Work	Company I hereby swear is true and corn Name Position Composition Composition Position Composition Composition Company Assistance of the control o	Survey - Four Ratio of acts OD Tog. W/4-; sted 52" casis 9743' to 97	fara Bos ret Superint	s -



MEXICO OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the

advisable, or the rejection by the Commission or a	which will be given the approval, with any modifications considered gent, of the plan submitted. The plan as approved should be followed, ained. See additional instructions in the Rules and Regulations of
Indicate natu	re of notice by checking below:
NOTICE OF INTENTION TO TEST CASING SHUT-OFF	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL
NOTICE OF INTENTION TO CHANGE PLANS	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING
NOTICE OF INTENTION TO REPAIR WELL	NOTICE OF INTENTION TO PLUG WELL
NOTICE OF INTENTION TO DEEPEN WELL	
	Menument, New Mexico May 12, 1952
	Place Date
OIL CONSERVATION COMMISSION, Santa Fe. New Mexico	
Gentlemen:	
Following is a notice of intention to do certain workmerada Petroleum Corporation St.	rk as described below at the ate Tulk "A" Well No. 1 in C/NE/4, NW/
Company or Operator Le	Talk Field.
of Sec. T. R. Count	
9998' - Total Depth - Lim 5/9/52. Ran Elect Ran Drill stem to casing set 6 9810 1/4" Flocele per	PROPOSED PLAN OF WORK RULES AND REGULATIONS OF THE COMMISSION - Finished drilling 7-7/8" hole at 9:15 AM, trical, Gamma Ray and Microlog Surveys - st from 9818' to 9998'. Ran 289 Jts of 5½" with 300 Sx slo-set cement mixed 3% Jel, & sack. Plug pumped to 97/3' at 9:45 PM ssure 1050%. Will W.O.C. for 24 hours and hut-off.
Approved	Amerada Petroleum Corporation Company or Operator
	By Dw 10pp
	Position Assistant District Superintendent Send communications regarding well to
OIL CONSERVATION CONSTRUCTON	Amerada Petroleum Corporation

Drawer D, Monument, New Mexico

"N∟√ MEXICO OIL CONSERVATION CC MISSION

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission District Office within ten days after the work specified is completed. It should be signed and filed as a report on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

	Indicat	e nature of	report by checking bel	low.		
REPORT ON BEGINNING DRILLING OPERATIONS			REPORT ON REPAIRING WELL			
REPORT ON RESULT OF CHEMICAL TREATM			REPORT ON PULLING OR OTHERWISE ALTERING CASING			
REPORT ON RESULT OF SHUT-OFF	TEST OF CASING	2	REPORT ON	DEEPENING WELL	ENING WELL	
REPORT ON RESULT OF	PLUGGING OF WI	ELL		-		
			March 17, 1952	Monument,	New Maxico	
Following is a report on the	work done and the	results obtai	ned under the heading n	oted above at the		
Amerada Petroleum			Tulk "A"			
C/NE/4, NW/4	of Sec					
Tulk	Pool		Lea		County.	
The dates of this work were	as follows:		March 16, 1952			
3935' - 9 0 1 t	Total Depth - ** casing at hecked top of ** hour with o 3935; and t	Lime. 1521' cement 1000# ested ca	Ran temperature Ratio of actual at 3849° and tes no pressure drop sing and connect rted drilling fo	survey, top of to calculated f ted casing & co . Drilled ceme ions for 1/2 ho	ill, 49.1% nnections for nt from 3849' ur with 1000#	
Witnessed by A. J. Tr	Name	Amerada	Petroleum Corpo	ration F	arm Boss -	
APPROVED: OIL CONSEF.VA	rion commission	Name	I hereby swear or is true and correct	affirm that the information	mation given above	
— (]	<u></u>	Title		tant District S erada Petroleum	-	
N.D.		, 19.	representing	Company or Opera		

NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

NOTICE OF INVENTION TO TEST CASING SHUT-OFF NOTICE OF INVENTION TO CHANGE PLANS NOTICE OF INTENTION TO CHANGE PLANS NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING NOTICE OF INTENTION TO PLUG WELL NOTICE OF INTENTION TO PULL OR NOTICE OF INTENTION TO PULL NOTI		Indica	te nature of noti	ce by checking belo	w:			
NOTICE OF INTENTION TO REPAIR WELL NOTICE OF INTENTION TO DEEPEN WELL		ON TO TEST CASIN						
Monument, New Marcico Narch 16, 1959 Place OIL CONSERVATION COMMISSION, Santa Fe, New Mexico Gentlemen: Following is a notice of intention to do certain work as described below at the Amerada Petroleum Corporation State Tulk "A" Well No.1 in C/NEA, HW/ Company of Operator Of Sec. 5. T. 15-S. R. 32-E. N. M. P. M. Tulk FULL DETAILS OF PROPOSED PLAN OF WORK FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION 3935 - Total Bepth > Lime. Finished drilling 11" hole at 7:30 AM, 3/13/52 Ran 97 Jts. (3920.40') 8-5/8" OD 32# & 24# R-3 & RT SS Cag. set at 3935' with 1500 sax cement. Plug pumped to 3849' at 8 RM, 3/11/52. Max pump pressure 1000#. Will N.O.C. for 24 hours and test for easing shut-off. Approved. Approved. Sec. 1								
Monument, New Marico Piace OIL CONSERVATION COMMISSION, Santa Fe, New Mexico Gentlemen: Following is a notice of intention to do certain work as described below at the. Secretary February Company or Operator Leas County, FULL DETAILS OF PROPOSED PLAN OF WORK FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION 3935 - Total Repth := Lime. Pinished drilling 11" hole at 7:30 AM, 3/13/52 Ran 97 its (3920.40") 8-5/8" OI 32# & 21# R-3 = RT SS Cag. set at 3935' with 1500 sax cement. Plug pumped to 3849' at 8 PM, 3/11/52. Max pump pressure 1000#. Will N.O.C. for 24 hours and test for easing shut-off. Approved. Approved. Approved. Send communications regarding well to OIL CONSERVATION COMMISSION. OIL CONSERVATION COMMISSION. Name Amerada Petroleum Corporation OIL CONSERVATION COMMISSION. Name Amerada Petroleum Corporation OIL CONSERVATION COMMISSION.	NOTICE OF INTENTIO	ON TO REPAIR WE	LL	NOTICE OF INT	TENTION TO PLUG WI	ELL		
OIL CONSERVATION COMMISSION. Santa Fe, New Mexico Gentlemen: Following is a notice of intention to do certain work as described below at the secondary of Operator State Tulk "A" Well No. 1 in C/NFA, NW/ Company of Operator Approved Approved Approved Approved Approved OIL CONSERVATION COMMISSION. OIL CONSERVATION COMMISSION. Place Place Date D	NOTICE OF INTENTIO	ON TO DEEPEN WE	ELL					
OIL CONSERVATION COMMISSION. Santa Fe, New Mexico Gentlemen: Following is a notice of intention to do certain work as described below at the merada Petrolsum Corporation State Tulk "A" Well No. 1 in C/NFA, NW/ Company or Operator Of Sec. 5			Monumen					
Approved.		COMMISSION,		Place	Da	te		
Approved.	·							
Approved at follows: Approved 19	Following is a notice of	intention to do certa	ain work as desc	ribed below at the.	••••			
FULL DETAILS OF PROPOSED PLAN OF WORK FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION 3935 - Total Bepth > Lime. Finished drilling 11" hole at 7:30 AM, 3/13/52 Ran 97 Jts (3920.40') 8-5/8" OD 32# & 24# R-3 \$-RT \$5 Cag. set at 3935' with 1500 sax cement. Plug pumped to 3849' at 8 FM, 3/14/52. Max pump pressure 1000#. Will W.O.C. for 24 hours and test for easing shut-off. Approved	Amerada Petroleu		State Tul					
FULL DETAILS OF PROPOSED PLAN OF WORK FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION 3935 - Total Bepth : Lime. Finished drilling 11" hole at 7:30 M, 3/13/52 Ran 97 Jts (3920.40') 8-5/8" OD 32# & 24# R-3 \$-RT SS Cag. set at 3935' with 1500 sax cement. Plug pumped to 3849' at 8 PM, 3/14/52. Max pump pressure 1000#. Will W.O.C. for 24 hours and test for easing shut-off. Approved	of Sec5	r. 15- S, R	32-E , N	V. M. P. M.,	Tulk	Field.		
Approved	Les		County.					
Approved		FULL DETA	ILS OF PRO	POSED PLAN C	F WORK			
Approved. Approved. Approved. Except at follows: Approved. OIL CONSERVATION COMMISSION, A 3935 - Total Bepth > Lime. Pinished drilling ll" hole at 7:30 AM, 3/13/52 Ran 97 Jts (3920.40') 8-5/8" OD 32# & 24# R-3 \$-RT SS Cag. set at 3935' with 1500 sax cement. Plug pumped to 3849' at 8 PM, 3/14/52. Max pump pressure 1000#. Will W.O.C. for 24 hours and test for casing shut-off. Amerada Petroleum Corporation Company of Operator By Position Assistant District Superint endent Send communications regarding well to Name Amerada Petroleum Corporation	FOLLOV	INSTRUCTIONS IN	THE BILLS	ND RECIII ATION	TO OF THE COMMISSION	ON		
Position Assistant District Superint endent Send communications regarding well to OIL CONSERVATION COMMISSION, Name		3/14/52. Hax	pump pressu	nent. Plug pu re 1000#. Wil	imped to 3849' at 1 W.O.C. for 24 1	8 PM, hours and		
Position Assistant District Superira endent Send communications regarding well to OIL CONSERVATION COMMISSION, Name		# AH	19	Amera	da Petroleum Corp	peration		
OIL CONSERVATION COMMISSION, Name	except at follows:				Company or Operat	or }		
OIL CONSERVATION COMMISSION, NameAmeradaCorporation				Ву	NOW TOTAL			
1/1 4/4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4				Position ASSI Send	stant District Sel communications regard	perint endent ling well to		
By Y LOU WILL Address Drawer D, Monthent, New Mexico	OIL CONSE	RVATION COMMISS	ION,	NameAmer	ada Petroleum Con	peration		
	By Y LOUT 1/1	whrow	jh _	Address Dra	wer D, Monmont,	New Mexico		