

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE
(Other Instructions on Reverse Side)

Form approved
Budget Bureau No. 1004-001
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL

LC-029465B

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS 88240

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT--" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

3. ADDRESS OF OPERATOR

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

660' FNL + 1980' FEL

14. PERMIT NO. 30-025-08022 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3994' KB

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

William Mitchell B

9. WELL NO.

#1

10. FIELD AND POOL OR WILDCAT

Malamar G-SA

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 18, T17S, R32E

12. COUNTY OR PARISH 13. STATE

Lee NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETION

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

See attached P&A well log diagram.
(Well HAS BEEN PLUGGED AND ABANDONED)

18. I hereby certify that the foregoing is true and correct

SIGNED W.W. Baker

TITLE Adm. Supervisor

DATE Oct. 25, 1989

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE 11-1-89

CONDITIONS OF APPROVAL, IF ANY:

Approved as to plugging of the well bore.
Liability from _____ and until
surface restoration is completed.

*See Instructions on Reverse Side

RECEIVED

OCT 27 10 03 AM '89

OCT 27 10 03 AM '89


Mitchell 'D' 11.1

360' FNL + 1920' FE
Sec 12, T-17S, R-32E

Present Wellbore Diagram

LF - 3991'
KB - 3794'

Cellar Filled
w/ CUT AND OR SAND
TO SURFACE CONTOUR



ABANDONMENT MARKER
"MITCHELL B No 1
B-18-T17S-R32E"

3' or bottom
Cellar which
IS Lower

8 5/8" 28# @ 240'
w/ 100 sx Cc
Perf. 4 TS PF
@ 290' CIRC TO SURFACE
w/ 106 sx CLASS C' Cc

Top of SALT 900'
BTM of SALT 1910'

Fill
10 PP9
mud

TOC @ 500' (TS)

25 sx CLASS C' w/ 2% CaCl₂
(3393' - 3634')

set CIBP @ 3634'

Fill
10 PP9
mud

Perfs @ 4 TS PF

3709-15' 31-35', 62-62'
3732-33'
3932-35'
4032-35'
4132-35'

10-5-1989

Olma

NOTE: 2.16' JUNK corroded
Thy. in hole top of JUNK
at 3916'

RECEIVED

NOV 2 1989

COO
HOBBS OFFICE