

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRI
(Other instruction
verse side)

DATE
IN

Budget Bureau No. 1004-1
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL

LC-029405B

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS 88240

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Cenard Inc.

3. ADDRESS OF OPERATOR

P.O. Box 460 - Hobbs, NM 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

1980' FSL & 660' FEL

14. PERMIT NO.

30-025-08026

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3989' KB

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

William Mitchell B

9. WELL NO.

#6

10. FIELD AND POOL OR WILDCAT

Maljimar G-SA

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 18, T17S, R32E

12. COUNTY OR PARISH

Lea

13. STATE

NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.)

See attached wellbore diagram.

RECEIVED

OCT 27 10 46 AM '89

18. I hereby certify that the foregoing is true and correct

SIGNED Marlene Simpson W. W. Baker

TITLE Administrative Sup'r

DATE Oct. 25, 1989

(This space for Federal or State office use)

Orig. Signed by Adam Salamah

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

11-1-89

Approved as to planning of the well bore.

Liaison until
surface restoration is completed.

*See Instructions on Reverse Side

RECEIVED

NOV 2 1989

OCD
HOBBS OFFICE

1920 FSL + 660 FEL
sec 18, T-17S, R-32

Mitchell 'B' No 6

PRESENT

Well Bore Diagram

3977' LF

3989' KB

Cellar Filled w/CMT
AND or SAND TO
SURFACE CONTOUR

4'

ABANDONMENT
MARKER

Mitchell 'B' No. 6 - T-18-T17S-
R32E"

3' or BTM of
Cellar whichever
is greater

Perf 4TSPF @ 299'

Circulate to surface

w/113sx CLASS 'C' CMT

w/2% CaCl₂

TS - 835'

BS - 1890'

CIBP
@
3410'

10ppg
mud

25sx class 'C' w/2% CaCl₂
(3410' - 3169')

TOC - 1225' TS

Top of cement in CSG
(est. @ 3419)

= Perfs 3610' - 3683'

BKR Loc-set FKR @ 3703

= Perfs 3748' - 99'

= Perfs 3930' - 34'

CIBP @ 3975

= Perfs 4068' - 41073'

= Perfs 4109' - 4114'

5 1/2", 14# @ 4196'

w/775sx

DMA 9-29-89