


SWNW

MALJAMAR

SCOUT REPORT
NEW MEXICO
OIL CONSERVATION COMMISSION



Company	Maljamar			Well No.	7-A
Farm Name	Wm. Mitchell				
Land Classification	Patented				
Sec.	19	Twp.	17	Range	32
Feet from Line:		1980	N.	S.	E. 660 W.
Elevation				Method	Spudder
Contractor	Thomas and Flint			Scout	
Spudded	1-18-41	Completed	4-21-41	Initial Production	
Bond Status					

Amount Casing and Cementing Record			
Size	Feet	Inches	Sex Cement
8 1/4"	685		50
7"	3420		150

Tubing Record	
2"	3984
Packer D	3945

ACID RECORD

Gals.	
4000	
5000	
Top Pay	TD

TA	685
TS	755
BS	
TRS	
TBL	
TWL	

SHOOTING RECORD

No. of Quarts	Shot at	Feet
No. of Quarts	Shot at	Feet
S/G 2160 A	S/O 3715-20 L	S/O
S/O 3500 L	S/G 3737-19 L	S/O

DATE	Location	DATE	
1-8-41	Spudder MAOG		
1-22	Ø 400 RR		
1-29	Ø 960 X		
2-5	Ø 2110 A		
2-12	Ø 2715 A		
2-19	Ø 3309 L		
2-26	Ø 3427 L		
3-5	Ø 3621 L		
3-12	TD 3677 L		
	SDR		
3-19	Ø 3884 L		
	TD 3984 L		
	Prop shoot		
	B/S 1500 OIH		
	TD 3984 L		
	Prop & acylge		
	Flowing w/ sh 4 BOPD thru		
4-9	2" tubing by head		
	TD 3984 L		
	Prop Retest		
4-31	TD 3984 L		
	IP F 40 BOPD thru		
	Open 2"		


100

[illegible]

S W N W

MALJAMAR

SCOUT REPORT NEW MEXICO OIL CONSERVATION COMMISSION



Company Maljamar Well No. 7-A
 Farm Name Wm. Mitchell
 Land Classification Patented
 Sec. 19 Twp. 17 Range 32 County Lea
 Feet from Line: 1980 N. S. E. 660 W.
 Elevation _____ Method Spudder
 Contractor Thomas and Flint Scout _____
 Spudded 1-18-41 Completed 4-21-41 Initial Production _____
 Bond Status _____

Amount
Casing and Cementing Record

Size	Feet	Inches	Sex Cement
8 1/4"	685		50
7"	3420		150

Tubing Record
2" 3984
Packer @ 3940


ACID RECORD

Gals.	TA
<u>2000</u>	<u>685</u>
<u>4000</u>	<u>TS 755</u>
<u>5000</u>	<u>BS</u>
	<u>TRS</u>
	<u>TBL</u>
	<u>TWL</u>

SHOOTING RECORD

No. of Quarts	Shot at	Feet
<u>S/O G 2160 A</u>	<u>S/O 3715-20 L</u>	<u>S/O</u>
<u>S/O 3500 L</u>	<u>S/O G 3737-40 L</u>	<u>S/O</u>

DATE	Location
<u>11-26-40</u>	<u>Spudder MAOG</u>
<u>1-22</u>	<u>2400 R.R.</u>
<u>1-29</u>	<u>2260 X</u>
<u>2-5</u>	<u>2210 A</u>
<u>2-12</u>	<u>22715 A</u>
<u>2-19</u>	<u>23309 L</u>
<u>2-26</u>	<u>23427 L</u>
<u>3-5</u>	<u>23621 L</u>
<u>3-12</u>	<u>TD 3677 L</u>
	<u>SDR</u>
<u>3-19</u>	<u>23884 L</u>
	<u>TD 3984 L</u>
	<u>put short</u>
	<u>B/S 1500 OI+</u>
	<u>TD 3984 L</u>
	<u>put to academy</u>
	<u>flowing with 4 BOPD thru</u>
<u>4-9</u>	<u>2" tubing by head</u>
	<u>TD 3984 L</u>
	<u>put Retest</u>
<u>4-31</u>	<u>TD 3984</u>
	<u>1 P F 40 BOPD thru</u>
	<u>open 2"</u>



LDG

[illegible]