

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE\*  
(Other instructions reverse side)Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

LC-029405(6)  
6. IF INDIAN, ALLOTTEE OR TRIBE NAME

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☐ GAS WELL ☐ OTHER ☒ *Water Injection Well*
2. NAME OF OPERATOR  
CONTINENTAL OIL COMPANY
3. ADDRESS OF OPERATOR  
P. O. Box 460, Hobbs, N.M. 88240
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface

1980' FSL &amp; 1980' FEL of Sec. 19

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3935' DF

7. UNIT AGREEMENT NAME

MCA

8. FARM OR LEASE NAME

MCA Unit Bty 1

9. WELL NO.

59

10. FIELD AND POOL, OR WILDCAT

Holly, B-SA Region

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec. 19 T-17S R-32E

12. COUNTY OR PARISH

Lea

13. STATE

N. Mex.

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐  
☐  
☐  
☐  
☐

PULL OR ALTER CASING

☐  
☐  
☐  
☐  
☐

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

Install casing or liner X

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐  
☐  
☐

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

☐  
☐  
☐  
☐  
☐(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

It is proposed to install 4 1/2" OD 9.5' casing or liner by:  
Run casing inspection log. If log shows 7" casing to be in  
an unsatisfactory condition a new string of casing will be  
run to  $\pm 3,575'$  and cemented with 150 sacks Class C Cement.  
If 7" casing is in good condition a liner will be  
run from  $\pm 3,400'$  to  $\pm 3,575'$  and cemented with 20 sacks  
Class C Cement. Well to be placed back on injection.

18. I hereby certify that the foregoing is true and correct

SIGNED

SK Albritton

TITLE

Division Office Manager

DATE 7-25-74

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

APPROVED

JUL 30 1974

ARTHUR R. BROWN  
DISTRICT ENGINEER

\*See Instructions on Reverse Side

USGS-S, MCA-3, File