

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPL
(Other instructions
verse side)E-
16-Form approved.
Budget Bureau No. 42-P1424

5. LEASE DESIGNATION AND SERIAL NO.

LC 029405(a)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

7. UNIT AGREEMENT NAME

MCA

8. FARM OR LEASE NAME

MCA UNIT #1

9. WELL NO.

253

10. FIELD AND POOL, OR WELLS

MALJ. G-SA REPRESS.

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 20, T17S, R-32E

12. COUNTY OR PARISH, 13. STATE

LEA N.M.

1.

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

CONTINENTAL OIL COMPANY

3. ADDRESS OF OPERATOR

Box 460, HOBBS, N.M. 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

1980' FNL & 460' FWL OF SEC. 20

14. PERMIT NO.

15. ELEVATIONS (Show whether LF, RT, GR, etc.)

3968' DF

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☒(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐(Note: Report results of multiple completion or Well
Completion or Recompletion Report and Log forms.)17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.) *

Spotted 500 gals. 28% HCL-NE Acid & displaced into old
perts 4016'-4046' w/34 bbls. trtd. fresh wtr. Perf w/2
JSPF 4003'-23' & 4034'-49'. Spotted 500 gals 28% HCL-
NE Acid @ 4049' & displaced into perts. Swabbed load &
re-ran prod. egpt.

Work started 5-3-75, completed 5-9-75

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

SR. ANALYST

DATE


6-3-75

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:



USGS-5, MCA-4, File


*See Instructions on Reverse Side

RECEIVED

JUN 11 1975

GIL CONSERVATION COMM.
HOBBS, N. M.

CONTINENTAL OIL COMPANY
Blow-out Preventer Specifications



NOTE:

Manual and hydraulic controls with closing unit no less than 75' from wall head.

RECEIVED

JUN 10 1976

OIL CONSERVATION COMM.
HOEBS, H. M.