

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE\*  
(Other instructions on re-  
verse side)Form approved.  
Budget Bureau No. 42-E1424

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. UNIT AGREEMENT NAME MCA
2. NAME OF OPERATOR CONTINENTAL OIL COMPANY		8. FARM OR LEASE NAME MCA Unit 111
3. ADDRESS OF OPERATOR P. O. Box 460, Hobbs, N.M. 88240		9. WELL NO. 25
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 660' FNL & 660' FEL of Sec. 20		10. FIELD AND POOL, OR WILDCAT Malamar Grayburg, San Anacleto
14. PERMIT NO.		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 20, T-17S, R-32
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4035' GL		12. COUNTY OR PARISH Lea
		13. STATE N. M.

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☒  
☐  
☐  
☐

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETION

ABANDON\*

CHANGE PLANS

☐  
☐  
☐  
☐

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

☐  
☐  
☐

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

☐  
☐  
☐


(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Frac @ max. 16 BPM rate. Pump 500 gals 15% HCL-WE acid @ 5-6 BPM. Pump 2000 gals trtd fresh water containing 50# "ADONITE AQUA" & 40# Guar (Gel) per 1000 gals. Pump 20,000 gals treated fresh water containing 25# "ADONITE AQUA" & 40# Guar (Gel) per 1000 gals & 40,000# 20-40 sand. Add 1 drum TH-763 after 15,000 gals pumped. Overflush w/max 3 BW

18. I hereby certify that the foregoing is true and correct

SIGNED



TITLE Division Office Manager

DATE

5-29-74

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

APPROVED

MAY 31 1974

ARTHUR R. BROWN  
DISTRICT ENGINEER

\*See Instructions on Reverse Side

USGS-5, MCA-3, File