

100-443886-100

LOG OF OIL OR GAS WELL
NO. 10000 - OFFICE
OIL CONSERVATION COMMISSION
AUG 20 1951
RECEIVED
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
UNITED STATES

No unneeded drilling 19...
 Completed drilling 19...
 The company on this page for the condition of the well at above date
 Date of last examination
 Title
 Signed
 so far as can be determined from all available records
 The following description herewith is a complete and correct record of the well and all work done thereon
 (Borehole does not include casing)
 Elevation
 Well No. Section T. S.
 County
 Location in Township
 Range
 Address
 Company

Oil or Gas Sands or Zones

(Insert page 15)

No. 1 from _____ to _____

No. 2 from _____ to _____


No. 3 from _____ to _____

On August 2, 1945 this well was tested for 3 hours thro
a 22/64 choke during which time it produced 42 barrels of oil
with a ratio of 478 cubic feet of gas per barrel of oil. The
casing pressure at the start of test was 890# and at complet
ion of test was 850#

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing or balling.

HISTORY OF OIL OR GAS WELL

[illegible]

U. S. LAND OFFICE Las Cruces
SERIAL NUMBER 029405-B
LEASE OR PERMIT TO PROSPECT Lease

LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYRECEIVED
AUG 20 1951OIL CONSERVATION COMMISSION
WELLS OFFICE

LOG OF OIL OR GAS

Company Maljamar Oil & Gas Corp. Address Artesia, New Mexico
Lessor or Tract Wm. Mitchell Field Baish State New Mexico
Well No. B-2 Sec. 20 T. 17 R. 32 Meridian N M P M County Lea
Location 660 ft. (N.) of S. Line and 660 ft. (EX) of E. Line of Sec. 20 Elevation 3972
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed /s/ M. E. BaishDate January 23, 1940Title V. Pres

The summary on this page is for the condition of the well at above date.

Commenced drilling July 29, 1939 Finished drilling Sept. 4th, 1939

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 3698 to 3704 O.S. No. 4, from _____ to _____
No. 2, from 3727 to 3732 No. 5, from _____ to _____
No. 3, from 3732 to 3760 No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
12 1/2"	45	8	YGSTN	20'					
7"		8		3600'					

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
7"	3600	360	Halliburton		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to 3600 feet, and from _____ feet to _____ feet
Cable tools were used from 3600 feet to 3760 feet, and from _____ feet to _____ feet

DATES

_____, 19____ Put to producing Sept. 4, 1939, 19____The production for the first 24 hours was 410 barrels of fluid of which 100 % was oil; _____ %
emulsion; _____ % water; and _____ % sediment. Gravity, °Bé. _____

If gas well, cu. ft. per 24 hours _____

Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

B. B. McDaniels, Driller B. Cockburn, Driller
C. F. McGeorge, Driller L. Smith, Sup't, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	20	20	Surface
20	475	455	Red rock and gravel
475	740	265	Red bed & Red rock
740	940	200	Red rock and anhydrite
940	1120	180	Salt with streaks anhydrite
1120	1684	564	Salt, potash, anhy and shells
1684	1860	176	Salt
1860	2017	157	Salt and anhydrite
2017	2400	383	Anhydrite
2400	2443	43	Anhydrite and shale, broken
2443	2545	102	Anhydrite
2545	2560	15	Lime
2560	2592	32	Anhydrite and shale
2592	2776	184	Lime and anhydrite
2776	2841	65	Anhydrite
2841	3054	123	Lime and anhydrite
3054	3213	159	Lime
3213	3243	20	Lime, hard
3243	3294	51	Lime
3294	3316	22	Brown lime
3316	3407	91	Lime
	3446	39	Lime and anhydrite
	3600	154	Lime
	3610	10	Brown lime
	3622	12	Lime

A blank sheet of graph paper with a grid pattern. The grid consists of 10 columns and 8 rows of squares. The lines are black and slightly irregular, typical of a scanned document. There is no text or other markings on the page.

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Location of _____ Line and _____
Well No. _____ Sec. _____ T. _____ R. _____
County _____ State _____

Address _____
City _____ State _____

NO TO OIL OF GAS STANDS ON ZONES

No. 1 from		No. 2 from		No. 3 from		No. 4 from		No. 5 from		No. 6 from		No. 7 from		No. 8 from		No. 9 from		No. 10 from	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

IMPORTANT WATER SANDS

_____ of _____, _____, 1987 _____, _____
_____ of _____, _____, 1987 _____, _____

000010 000000

10-10-57

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "detracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

HISTORY OF OIL OR GAS WELL

U. S. GOVERNMENT PRINTING OFFICE

FROM	TO	TOTAL FEET	FORMATION
3622	3629	7	Gray lime
3629	3638	9	Gray and brown lime
3638	3644	6	Gray lime
3644	3650	6	Lime
3650	3656	6	Blue lime
3656	3661	5	Gray lime
3661	3668	7	Lime
3668	3704	36	Sandy lime
3704	3709	5	Gray lime
3709	3718	9	Lime
3718	3727	9	Gray lime
3727	3732	5	Oil sand
3732	3760	28	Oil sand