

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS NOTICES

NUMBER		COPIES RECEIVED	
DISTRIBUTION			
SANTA FE			
FILE			
U.S.G.S.			
LAND OFFICE			
TRANSPORTER	OIL		
	GAS		
PERORATION OFFICE			
OPERATOR			

strict Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE	X	NOTICE OF INTENTION TO SHOOT (Nitr)	
NOTICE OF INTENTION TO GUN PERFORATE	X	NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Roswell, New Mexico
(Place)

November 20, 1961
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the.....

Shell Oil Company

State ETA

Well No. 6 in N

(Company or Operator)

Lease

(Unit)

SE 1/4 SW 1/4 of Sec. 8, T. 16S, R. 35E, NMPM, Townsend-Wolfcamp Pool
(40-acre Subdivision)
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK

(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

PROPOSED OPERATION: Perforate additional pay and shut off water zone.

1. Pull pump and tubing.
2. Perforate casing 10,316' - 10,326' & 10,377' - 10,384' w/2 JSPP.
3. Run Lynes inflatable casing straddle packers with 120' between the two packers.
4. Set bottom packer at 10,535'. Swab test perforations 10,550' - 10,588' below bottom packer.
5. Raise packers and set bottom packer at 10,410' and top packer at 10,290'.
6. Acidize newly opened intervals w/1500 gallons 15% NEA. Swab test.
7. If perforations 10,550' - 10,588' produce water only, set CIBP at 10,535' on wireline.
8. Place well on production.

Approved....., 19.....
Except as follows:

Approved
OIL CONSERVATION COMMISSION

By.....
Title.....

Shell Oil Company

Company or Operator

By..... V. L. King Original Signed By:
V. L. KING

Position..... Acting District Exploitation Engineer
Send Communications regarding well to:

Name..... Shell Oil Company
Address..... Box 1858, Roswell, New Mexico