

District I
PO Box 1980, Hobbs, NM 88241-1980

District II

PO Drawer DD, Artesia, NM 88211-0719

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

PO Box 2088, Santa Fe, NM 87504-2088

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

PO Box 2088
Santa Fe, NM 87504-2088

Form C-101

Revised February 10, 1994

Instructions on back

Submit to Appropriate District Office

State Lease - 6 Copies

Fee Lease - 5 Copies

☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

Operator Name and Address. Collins & Ware, Inc. 508 W. Wall, Suite 1200 Midland, Texas 79701		OGRID Number 004874
Property Code 17788	Property Name Priest	API Number 30 - 0 25-09867
		Well No. 6

7 Surface Location

UL or lot no.	Section	Township	Range	Lot Ida	Feet from the	North/South line	Feet from the	East/West line	County
E	1	15S	37E		1651	North	330	West	Lea

8 Proposed Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Ida	Feet from the	North/South line	Feet from the	East/West line	County
Proposed Pool 1 Denton Devonian					Proposed Pool 2				

Work Type Code E & D	Well Type Code O	Cable/Rotary R	Lease Type Code P	Ground Level Elevation 3794
Multiple No	Proposed Depth 12,500	Formation Devonian	Contractor N/A	Spud Date 11/15/95

21 Proposed Casing and Cement Program

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
17 1/4	13 3/8	36 & 48	360	350	Surface - In Hole
11	8 5/8	28 & 32	4,740	2,250	Surface - In Hole
7 7/8	5 1/2	15.5 & 17	12,500	1,520	7000

Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.

Permit Expires 6 Months From Approval
Date Unless Drilling Underway.

Re-Entry

1 Build location and reserve pits.

2 MIRU Rotary tools.

3 Drill out surface plug and cement plug from 4660 to 4730. Set kick off plug and blind sidetrack from 8300'. Drill 7 7/8" hole to 12,500'. Test for commercial quantities of reserves. (NOTE: 5 1/2" cut off casing stub @ 8696')

4 Evaluate test results for (A. or B.)

A. Completion - Case and cement long string and complete well

B. Plug and abandon according to NMOC rules and regulations.

I hereby certify that the information given above is true and complete to the best of my knowledge and belief.

Signature: 
Printed name: Craig Young

Title: Operations Engineer

Date: 10/12/95

Phone: (915) 687-3435

OIL CONSERVATION DIVISION

Approved by: ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT I SUPERVISOR

Title:
Approval Date: OCT 17 1995

Conditions of Approval:
Attached ☐

