

RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-		7. Unit Agreement Name
2. Name of Operator Amerada Hess Corporation		8. Farm or Lease Name W.W. Hamilton "A"
3. Address of Operator 1209 South Main, Lovington, New Mexico 88260		9. Well No. 2
4. Location of Well UNIT LETTER <u>I</u> <u>1980'</u> FEET FROM THE <u>South</u> LINE AND <u>660'</u> FEET FROM THE <u>East</u> LINE, SECTION <u>34</u> TOWNSHIP <u>16-S</u> RANGE <u>38-E</u> NMPM.		10. Field and Pool, or Wildcat Knowles Devonian
15. Elevation (Show whether DF, RT, GR, etc.) 3709' - D.F.		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <u>Setting Bridge Plug</u> <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Welox ran and set a Baker Oil Tool C.I. Bridge Plug @ 12,430' set to Halliburton Float Collar @ 12,363'. Ran a 2" perforated Tbg. Sub., Bridge Plug from 12,179' - 12,184' Guiberson KVL-30 5-1/2" x 2" Packer set @ 12,172'. Kobe 4"x2-3/8"x2" Kobe Pump @ 12,154', Check Valve @ 12,147' Fluid Pack Circ. Valve @ 12,114' on 422 Jts. of 2-7/8" OD EUE Tubing and 1 jt. of 2-3/8" OD EUE Tubing.
Work Performed on 6-23-72

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Area Superintendent DATE 7-19-72

Orig. Signed by
John Runyan

APPROVED BY _____ TITLE _____ DATE _____

Geologist
CONDITIONS OF APPROVAL, IF ANY:

JUL 27 1972

RECEIVED

JUL 20 1972

OIL CONSERVATION COMM.
HOEES, N. M.