

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☐ other ☒ *PLA*
2. NAME OF OPERATOR
Conoco Inc.
3. ADDRESS OF OPERATOR
P.O. Box 460 Hobbs, N.M. 88240
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: *2610' FSL & 2640' FEL*
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

- ☐
☐
☐
☐
☐
☐
☐
☐
☒

RECEIVED

JUN 17 1980

U. S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

5. LEASE
LC 029045 (b)
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
MCA
8. FARM OR LEASE NAME
MCA Unit
9. WELL NO.
58
10. FIELD OR WILDCAT NAME
Maljamar 6-SA
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 19, T-17S, R-32E
12. COUNTY OR PARISH
Lea
13. STATE
NM
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

MIRU 5-13-80. Isolated holes from 1900' to 330' Swaged out csg. from 3335' to 3427'. Retrieved fish @ 3427'. Cleaned out well bore to 3963'. Spotted 200 sx. cmt. @ 3963'-2563'. Tagged cmt. @ 2813'. Cmt. 100 sx. class C cmt. from 2813'-1900'. Squeezed 200 sx. class "C" cmt. into holes below 1900'. Tagged cmt. @ 1913'. Ran sound log - no wtr. flow. Spot 500 sx. class C cmt. @ 1913'. Tagged cmt. @ 870'. Pressure tested csg. - held OK. Pumped in 180 sx. class C cmt. & circ'd to surface. Erected dry hole marker & cleaned location

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED *W.A. Putterly* TITLE *Admin. Supervisor* DATE *6/16/80*

APPROVED (This space for Federal or State office use)
APPROVED BY *Roger A. Chapman* TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

JUN 2 1981

for JAMES A. GILLHAM
DISTRICT SUPERVISOR

*See Instructions on Reverse Side

RECEIVED
JUN 9 1981
OIL CONSERVATION DIV.