	~	COPY TO O. C. C	Budget Bureau No. 42-R358.4. Approved.
Form 9-881 a (Feb. 1951)		TRIBLICATE 0385	Land Office Las. Cruces.
		TRIPLICATE) HOBES	Lese No. 029509 3
) STATES	Unit
FAP	AFLOW	OF THE INTERIOR	
AS	AMENDED 1963 GEOLOGI	CAL SURVEY	
	A.A. BROWN		
SU	NDRY NOTICES AN	D REPORTS ON	WELLS IN LAND
NOTICE OF INTENTION		SUBSEQUENT REPORT OF WATER	SHUT-OFF
NOTICE OF INTENTION	I TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOT	ING OR ACIDIZING
	TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTER	
	TO RE-DRILL OR REPAIR WELL		LLING OR REPAIR
	I TO SHOOT OR ACIDIZE		UNMEN I
1	TO ABANDON WELL		
			I
	(INDICATE ABOVE BY CHECK MARK NAT	URE OF REPORT, NOTICE, OR OTHER	R DATA)
Baish "A"	<u>Se</u>	aptember 20	, 1\$3
Well No. 9	is located 1650 ft. from X	N] line and 1650 ft. fr	om E line of sec. 21
SW/4 of NE/4	Sec. 21 175 321 No.) (Twp.) (Bai	Z NM PM (Meridian)	
Baish	T aa	λT	ew Mexico
(Field)	(County or Su	bdivision)	(State or Territory)
The elevation of t	the derrick floor above sea level	isNA ft.	
	DETAILS	OF WORK	
t is our interproximate de pproximate de ll casing pos of the U.S.G.S it is planned asing to be a s to circulat	ention to drill a well ention to drill a well opth of 2400' to atten ints will be cemented 5. and any special red to use the following set at 250' and cement te. 6 3/4" hole, 4 1, 300 sacks cement. Co	at the above 1 npt a completion in accordance w quirements will casing pattern: ted with 170 sac 2 casing to be	cation to an in the Yates sand. ith approved methods be somplied with. 11" hole, 7 5/8" ks cement. Cement set at 2400' and
his woll is t the Batsh-Yate well upon com	to b e drill ed as a prose as Wat erflo od. Permis pletion.	oducing well in . ssion is request	conjunction with ed to produce the
I understand that the	his plan of work must receive approval in wri	ting by the Geological Survey befo	re operations may be commenced.
Company Coa	nticental Oil Company		
AddressBox	x 460		(
ifol	bbs, New Mexico	By Jack	
		TitleAsst_D	<u> st. Superinterden</u> t
USGS-HOEBS (5) NHOCC-HOBBS (2)	ABS FILE	GP0 914974

ALT SECTION MUST BE ISOLATED FROM FLUIDS ADOVE AND BELEDW BY CEMENT.

r - **-**•• . 1 3

3

192.413 i * Jar

• *• • •

• •

. 5

. Į

1 • •

and the a

.

a Na Alasia Alasia

2. * ● = - x

.

1 4--5-

ан 1917 - В 2

х х х

. С

. .

.

.

R.

ý.

- **a** a

•

بالمرواد والم

1995 • 1993 • 1995 • 19

ti ⊊≣≊

						3	
		NEW MEXICO OIL					C-138 ed 5/1/37
		L LOCATION AN		and the second	· · · · · · · · · · · · · · · · · · ·		
	SER	INSTRUCTIONS FOR CON	PLETING THIS FOR	ON THE REV	ERSE SIDE		
			SECTION A		CH 5 3 04	Well No.	
	CONTINENTAL	OIL COMPANY	BAISH .	AEP 24	FN 5 01		
Letter	Section	Township	Range	County			
G	21	17 SOUTH	32 EAST	<u> </u>	LEA		
· -	Location of Vell: foot from the	Normal line of	a 1650	feet from the	1650 EAST	line	
1650		NORTH LIDE AS	Pool			icated Acres	
	Tata		2n Lah			10	Actes
natbor. (6 I the casue nine? YES.	65—3—29 (e) NMSA It to question one i NO	and to produce from any p 1935 Comp.) is "no," have the interest . If anower is "yes," Typ is "no," list all the owne	s of all the owners be of Consolidation	en consolidated	by communitiant	· .	
		<u></u>			<u></u>		
						RTIFICATIO	N
	·····	SECTION B					•• <i>[</i>
: . . <u></u>			1650	1650'	I hereby cert in SECTION plete to the b belief. Name Defition Company Company Date United States	A above is u	ne and com-
			CHUGINEER & LA	NINE OF	and correct (and belief. Date Survey) 9 Registe rod 1	e plat in SEC field notes o e by me or ut and that the io the beat of od -17-1963	TION 8 was f actual oder my onne is true my knowledge Engineer

•