· •			· · ·				
					'N1	W MEXICO	
							Sez
							0.000
-++							WI
╺┽╾╄╾	╂╼╄╼╄		1-1				
	┼╍┼╍┼╴	+	╋╼╌┫	N	lait an District	Office, Oil Co	marty
	┝╌╎╌┼╴	+	╂──┨	la	ter than twent	y days after cos	npietie
	LEA 640 ACRI	<u>` </u> #	<u> </u>	of	the Commissi	on. Submit in (101W
LOCATE	C	W.	TRAINE				
	((y er Operate SW	r)		of Sec	
с н 110	iume Quee	2 n				Pool,	
/ell is	980	fcc	t from	Nor	th	line and	
						Gas Lease No. i	
rilling Comn	enced		May 4		, 19	63. Drilling	waa C
						ing & Dril	
ddress			<u>P, C</u>	B	<u>ox 1718</u>	Hobb	s. . N
					3962	SANDS OB Z	from
						No. 5,	
No. 3, from			to			No. 6,	
Include data	on rate of w	ater in	flow and e	levati		TANT WATER	
							••••••
		•••••••••			**		
No. 4, from							
	WEIG	IT	NEW O			KIND OF	BD c
81ZE	WEIGI PEB FO	IT OT	NEW O USED	8	AMOUNT	ASING BECO	
BIZE 8 5/8"	weigh per fo 20#	AT OOT	NEW O CHED Used			KIND OF	BD c
81ZE	WEIGI PEB FO	et Tot	NEW O USED		AMOUNT 292 3990	KIND OF	BD c
SIZE 8 5/8" 5 1/2" 2 3/8" 1	20# 14#		NEW O CHED Used		AMOUNT 292	KIND OF	BD c
BIZE 8 5/8" 5 1/2" 2 3/8" 1	wEIG FER FC 20# 14#		NEW O USED Used		AMOUNT 292 3990 3905	KIND OF	
size 8 5/8" 5 1/2" 2 3/8" 1	20# 14#	5 #	NEW O USED Used		AMOUNT 292 3990 3905	HOWCO	RD PUI
BIZE 8 5/8" 5 1/2" 2 3/8" 1 cement BIZE OF HOLE	wEIG FEBFO 20# 14# tbg. 4.0 lined	5 #	NEW O USED USED USED	N OI	AMOUNT 292 3990 3905 MUDDING	ASING BECO KIND OF SHOE HOWCO AND CEMENT	
SIZE 8 5/8" 5 1/2" 2 3/8" 1 cement 3 SIZE OF	weig PER F 20# 14# tbg. 4.6 lined	5#	NEW O UHED Used Used Used	N OI	AMOUNT 292 3990 3905 MUDDING 0. SACES CEMENT	ASING BECO KIND OF SHOE HOWCO AND CEMENT METHOD USED	
SIZE 8 5/8" 5 1/2" 2 3/8" 1 cement SIZE OF HOLE 11"	weig PEB F 20# 14# tbg. 4.6 lined size of CASING 8 5/8	5# 4	NEW O USED USED USED USED	N	AMOUNT 292 3990 3905 MUDDING 0. SACKS CEMENT 200	ASING BECO KIND OF SHOE HOWCO AND CEMENT METHOD USED Circulate Pump & Pl	BD PUI FING

CONSERVATION COMMISSION

a Fe, New Mexico

ILL RECORD I COM COM 5 42

ation Commission, to which Form C-101 was sent not on of well. Follow instructions in Rules and Regulations FUPLICATE. If State Land submit 6 Copies

·····	
C. W. TRAINER	Hume Queen Unit
(Company or Operator)	
1/2 in SW 4 of	NW
Well No	
Hume Queen	
Well is 1980 feet from North	line and
	be Oil and Gas Lesse No. is
of Section 8 If State Land t	be Oil and Gas Lease No. is
	60 m = 1 M M T 10 10 63
Drilling Commenced	
Monan Oil	Producing & Drilling Corporation
Name of Drilling Contractor	A A YA WAXAI A B
	1718 Hobbs, New Mexico
Address	
	4143 (GL). The information given is to be kept confidential until
	4143.1.1.1.1

No.	1,	from	No. 4, fromto
No.	2,	fromto	No. 5, from
No.	3,	fromto	No. 6, fromto

Dß

No. 1, fromfeet.	••••••••••••••••••••••••••••••••••••••
No. 2, fromfeet.	
No. 3, fromfeet.	
No. 4, fromfcet.	

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM		PURPOSE
8 5/8"	20#	Used	292				Surface
5 1/2"	14#	Used	3990	HOWCO		3942 - 3960	0il String
<u> </u>				ļ			
2 3/8" tb	4.6#	Used	3905	1	1	l	1

RECORD

BIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD UBED	MUD GRAVITY	AMOUNT OF MUD USED
111	8 5/8	292	200	Circulated		
6 3/4"		4000	70	Pump & Plug		
	2 3/8	3905	Injection	String	1	1

BECOBD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Perforated 3942 - 3960 with 500 gals. acetic acid in hole. Squeezed acid and took

injectivity test.

.....

·

.....

Result of Production Stimulation Injected 6.1 BPM at 1800 psi.

Depth Cleaned Out.....

.....

.....

BECORD OF DRILL-STEN AND SPECIAL That's

• · ·

	TOOLS USED		
0	feet to 4000 feet, an	d fromfeet to	fc
tary tools were used from	feet to feet, an	nd fromfeet to	fe
ble tools were used from			
	PRODUCTION		
t to Producing Injection Wel	1		
write The production during the fir	st 24 hours was	barrels of liquid of which	
L WELL. The protection of		% water; and% was sedin	nent. A.F
· · · · · · · · · · · · · · · · · · ·		• •	
Gravity			
. S. WET I	st 24 hours was1	M.C.F. plus	barrels
liquid Hydrocarbon. Shut in	Pressurelbs.		
1			
ength of Time Shut in			STATE)
ength of Time Shut in		ICE WITH GEOGRAPHICAL SECTION OF	STATE)
ength of Time Shut in	IATION TOPS (IN CONFORMAN 72 New Mexico	Northwestern New Sh	
ength of Time Shut in PLEASE INDICATE BELOW FORM Southcaster	IATION TOPS (IN CONFORMAN n New Mexico 	T. Ojo Alamo	
ength of Time Shut in PLEASE INDICATE BELOW FORM Southeaster Anhy	IATION TOPS (IN CONFORMAN n New Mexico T. Devonian T. Silurian	T. Ojo Alamo T. Kirtland-Fruitland	
ength of Time Shut in PLEASE INDICATE BELOW FORM Southeaster Anhy Salt	IATION TOPS (IN CONFORMAN n New Mexico 	T. Ojo Alamo T. Kirtland-Fruitland T. Farmington	
ength of Time Shut in PLEASE INDICATE BELOW FORM Southeaster Anhy Salt Salt	IATION TOPS (IN CONFORMAN n New Mexico T. Devonian T. Silurian T. Montoya	T. Ojo Alamo T. Kirtland-Fruitland T. Farmington T. Pictured Cliffs	
ength of Time Shut in PLEASE INDICATE BELOW FORE Southeaster Anhy Salt Salt Yates	IATION TOPS (IN CONFORMAN The New Mexico T. Devonian T. Silurian T. Montoya T. Simpson	T. Ojo Alamo T. Kirtland-Fruitland T. Farmington T. Pictured Cliffs T. Menefee	
ength of Time Shut in PLEASE INDICATE BELOW FORM Southeaster Anhy Salt Salt Yates	IATION TOPS (IN CONFORMAN n New Mexico T. Devonian T. Silurian T. Montoya T. Simpson T. McKee	T. Ojo Alamo T. Kirtland-Fruitland T. Farmington T. Pictured Cliffs T. Menciee T. Point Lookout	
ength of Time Shut in PLEASE INDICATE BELOW FORM Southeaster Anhy Salt Salt Yates 7 Rivers	IATION TOPS (IN CONFORMAN n New Mexico T. Devonian T. Silurian T. Montoya T. Simpson T. McKee T. Ellenburger	T. Ojo Alamo T. Kirtland-Fruitland T. Farmington T. Pictured Cliffs T. Menefee T. Point Lookout T. Mancos	
ength of Time Shut in PLEASE INDICATE BELOW FORM Southeaster Anhy Salt Yates 7 Rivers XXXXX. PEDROSE	IATION TOPS (IN CONFORMAN The New Mexico T. Devonian T. Silurian T. Montoya T. Simpson T. McKee T. Ellenburger T. Gr. Wash	T. Ojo Alamo T. Kirtland-Fruitland T. Farmington T. Pictured Cliffs T. Menefee T. Point Lookout T. Mancos T. Dakota	
ength of Time Shut in PLEASE INDICATE BELOW FORM Southeaster Anhy Salt Salt Yates 7 Rivers	IATION TOPS (IN CONFORMAN n New Mexico T. Devonian	T. Ojo Alamo T. Kirtland-Fruitland T. Farmington T. Pictured Cliffs T. Menefee T. Point Lookout T. Mancos T. Dakota T. Morrison	
ength of Time Shut in PLEASE INDICATE BELOW FORM Southeaster Anhy Salt Salt Yates 7 Rivers 3943! Grayburg San Andres Clorieta	IATION TOPS (IN CONFORMAN m New Mexico T. Devonian	T. Ojo Alamo T. Kirtland-Fruitland T. Farmington T. Pictured Cliffs T. Mencice T. Point Lookout T. Mancos T. Dakota T. Morrison	
ength of Time Shut in PLEASE INDICATE BELOW FORM Southeaster Anhy Salt Salt Yates 7 Rivers	IATION TOPS (IN CONFORMAN n New Mexico T. Devonian	T. Ojo Alamo T. Kirtland-Fruitland T. Farmington T. Pictured Cliffs T. Menefee T. Point Lookout T. Mancos T. Dakota T. Morrison T. Penn	
ength of Time Shut in PLEASE INDICATE BELOW FORM Southeaster Anhy Salt Salt Yates 7 Rivers	IATION TOPS (IN CONFORMAN n New Mexico T. Devonian	T. Ojo Alamo T. Kirtland-Fruitland T. Farmington T. Pictured Cliffs T. Menefee T. Point Lookout T. Mancos T. Dakota T. Morrison T. Penn T. Penn	
ength of Time Shut in PLEASE INDICATE BELOW FORM Southeaster Anhy Salt Salt Yates 7 Rivers 3943! Grayburg San Andres Glorieta Drinkard Tubbs Abo	IATION TOPS (IN CONFORMAN m New Mexico T. Devonian	T. Ojo Alamo T. Kirtland-Fruitland T. Farmington T. Pictured Cliffs T. Menefee T. Point Lookout T. Mancos T. Dakota T. Morrison T. Penn T. Penn T T	
PLEASE INDICATE BELOW FORM Southeaster Anhy	IATION TOPS (IN CONFORMAN n New Mexico T. Devonian. T. Silurian. T. Montoya. T. Simpson. T. Ellenburger. T. Gr. Wash. T. Granite. T. T. T. Granite. T. T. T. Granite. T. T. T. T.	T. Ojo Alamo	

From	To	Thickness in Feet	Formation	From	То 	in Feet	Formation
			1				
			-				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

ATTACH SEPARATE SHEET IF	ADDITIONAL STROM IS RELEASE
ATTACH OBTAINING 2	Δ
	complete and correct record of the well and all work done on it so in
the information given herewith is a	Complete and conferr trond of the
1 hereby swear of annual child in the contract of	a complete and correct record of the well and all work done on it so fa
1. bla seconda	N/// a ch
as can be determined from available records.	[*// / / / / Eler in 5-30-63
	C. W. Trainer
	Address
Company or Operator	Address
Company or Operator	
	Position Title Hume Queen Unit Operator
c W. Trainer	Positie
Name	

C. W. TRAINER

P. O. BOX 2222

PHDNE EX 7-1516

Francis AM 6 41

205 NORTH LINAM STREET HOBBS, NEW MEXICO

June 4, 1963

HUME QUEEN UNIT WELL # 1/6-

DEVIATION RECORD

266'	0°	3110'	$\frac{1^{\circ}}{3/4^{\circ}}$
1455'	3/4°	3480'	
2110' 2814'	1° 2°	3720'	3/4°

I certify that this is a true and correct tabulation of the deviation tests and depths we recorded on our Hume Queen Unit Well 8-2. \bigcirc

C. -W. Trainer

Hume Queen Unit Operator

STATE OF NEW MEXICO)) ss. COUNTY OF LEA)

The foregoing instrument was acknowledged before me this 4th day of June, 1963 by C. W. TRAINER.

Notary Public

My Commission Expires: January 23, 1967