

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRI
Other instruction
(reverse side)

ATE
D T

Revised Edition No. 1004-1
Replaces August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

LC-029405B

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

William Mitchell B

9. WELL NO.

#19

10. FIELD AND POOL, OR WILDCAT

Palamar C-5A

11. SEC., T., R., OR BLK. AND
SUBV. OR AREA

Sec. 17, T17S, R32E

12. COUNTY OR PARISH 13. STATE

Sec

NM

1. OIL ☒ WELL GAS ☐ WELL OTHER ☐

2. NAME OF OPERATOR

Donaco Inc.

3. ADDRESS OF OPERATOR

P.O. Box 460 - Hobbs, NM 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)

At surface

2310' FSL + 1980' FWL

14. PERMIT NO.

30-025-2028

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4032' KB

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.)

See attached wellbore diagram

18. I hereby certify that the foregoing is true and correct

SIGNED Maxine Simpson W.W. Baker

TITLE Administrative Supervisor

DATE Oct. 25, 1989

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

11-1-89

Approved by _____
Lithium chloride _____
surface restoration is completed.

*See Instructions on Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the
United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED

OCT 27 10 04 AM '89


LF - 40'20'
KB - 4032'

1010' FSL + 1780' FSL
Sec 17, T-17S, R-32

Mitchell No 19

Plug and Abandon

Present Well Bore Diagram



Perf (4TSPF) @ 845'
Circ w/242sx Class 'C'
w/2% CaCl₂

7 7/8" 24# @ 795' w/300sx
(circ.)

Top of SALT - 940

Base of SALT - 1937'

TOC @ 2140'
(Temp. 311.1)

25sx Class 'C' w/2% CaCl₂
(3324 - 3565')

CMT Retainer @ 3565'

= Rrfs (1TSPF)

3615, 1, 61, 73, 22, 34

3711, 2, 23, 34, 39, 32, 37

3807, 17, 24, 34, 75

3932, 47, 57, 30

4038, 71

4124, 17, 15

4 1/2" 9.5# @ 5460' w/500sx
TL 130

Om a

RECEIVED

NOV 2 1989

OCD
HOBBS OFFICE