Form 9-330
(Rev. 5-63)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE (See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL [X] GAS WELL [ ] DRY [ ] Other

b. TYPE OF COMPLETION: NEW WELL [X] WORK OVER [ ] DEEP-EN [ ] PLUG BACK [ ] DIFF. RESVR. [ ] Other

2. NAME OF OPERATOR: LEONARD NICHOLS

3. ADDRESS OF OPERATOR: MALJAMAR, NEW MEXICO

4. LOCATION OF WELL (*Report location clearly and in accordance with any State requirements*)*
At surface: 1980' SOUTH, 660' WEST, SEC 3.17.32
At top prod. interval reported below
At total depth

5. LEASE DESIGNATION AND SERIAL NO.: [illegible]
6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
7. UNIT AGREEMENT NAME:
8. FARM OR LEASE NAME: [illegible]
9. WELL NO.: 32
10. FIELD AND POOL, OR WILDCAT: MALJAMAR,
11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA: SEC 3.17.32

14. PERMIT NO. / DATE ISSUED
12. COUNTY OR PARISH: LEA
13. STATE: N. MEXICO

15. DATE SPUDDED	16. DATE T.D. REACHED	17. DATE COMPL. (*Ready to prod.*)	18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*	19. ELEV. CASINGHEAD
10.5.1963	10.16.1963	10.28.1963	4190 GR.	4190

20. TOTAL DEPTH, MD & TVD	21. PLUG, BACK T.D., MD & TVD	22. IF MULTIPLE COMPL., HOW MANY*	23. INTERVALS DRILLED BY	ROTARY TOOLS	CABLE TOOLS
4149			→	0 TO 4149	

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*: 3986 TO 3996, 4104 TO 4116 GRAYBURG — 0 TO 4149
25. WAS DIRECTIONAL SURVEY MADE: NO

26. TYPE ELECTRIC AND OTHER LOGS RUN: GAMA & NUTRON
27. WAS WELL CORED: NO

28. CASING RECORD (*Report all strings set in well*)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24	373	11"	225 SACKS CIRCULATED	
5 1/2"	14	4149	7 7/8"	350 SACKS	
2 3/8"	4.70	4105			

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)

31. PERFORATION RECORD (*Interval, size and number*)
3986-96. 4104-16
4 JET SHOTS PER FT.

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
	SAND FRACED WITH 20000 GAL. REFINED OIL, 40000 LBS. SAND,

33.* PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (*Flowing, gas lift, pumping—size and type of pump*)	WELL STATUS (*Producing or shut-in*)

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD →	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
11.2.1963	24	2	→	21	[illegible]	none	TSTM

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE →	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)
[illegible]		→				38.2

34. DISPOSITION OF GAS (*Sold, used for fuel, vented, etc.*): CONSOLD
TEST WITNESSED BY: C.L. McCOY [illegible]

35. LIST OF ATTACHMENTS: UNIT TEST WITH FOLD TEST

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED: O. L. Nichols TITLE: SUPT. DATE: 11.4.1963

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: *"Sacks Cement":* Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:
SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
RED BED & GYP	0	1215	
SALT	1215	2310	
ANHYDRITE	2310	3350	
RED SAND	3350	3375	
ANHYDRITE	3375	3690	
LIME	3690	3986	
OIL SAND	3986	3996	
LIME	3996	4104	
OIL SAND	4104	4116	
LIME	4116	4149	

38. GEOLOGIC MARKERS

NAME	TOP MEAS. DEPTH	TOP TRUE VERT. DEPTH
[illegible]	[illegible]	[illegible]
SALT	1215	1095
ANHYD		
RED SAND	3350	25
GRAYBURG LIME	3690	450
SANDES LIME	4120	
TD. IN LIME		

U.S. GOVERNMENT PRINTING OFFICE: 1963—O-683636