

COUNTY	Lea	FIELD	Wildcat	STATE	N.M.	NO.	
WC OPR.	Gulf Oil Corporation			MAP			
NO.	1	LSE	Bargsley, M. L.				
SEC.	30	T.	16S	R	38E	SUR.	CO-ORD.
LOC 1980' fr S & E Lines of Sec.							
MI.	FROM		P&A	CLASS.		EL 3766'	
SPUD.	7-24-63	COMP.	11-21-63	FORMATION	DATUM	FORMATION	DATUM
IRL				LOG:			
				Yates	3249		
CSG. & SX.				7R	3566		
	13 3/8"	340'	310	Queen	4170		
	9 5/8"	5100'	1535	SA	5072		
	5 1/2"	12027'	575	Glor	6503		
TBG.	DEPTH	SIZE		Tubb	8069		
LOGS	EL	GR	RA	IND	HC	A	
				Atoka	11518		
				TD	13306'		
						PB	
PROD INT.	(DAILY RATE)	BS&W	GH	GOR	GTY	C. P.	T. P.
PLUGGED & ABANDONED							
Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.							
CONT. Sharp Drlg. Co.				PROP DEPTH 13,000' TYPE			
DATE							

F.R. 7-18-63; Oper's Elev. 3770' KB
 PD 13,000' - Devonian
 Contractor - Sharp Drlg. Co.
 7-29-63 Drlg. 2884'.
 8-5-63 Drlg. 5060'.
 8-12-63 TD 5410' sdy ls., prep to drill.
 DST 5310-5410', open 1 hr, rec 20' OCM,
 30 min ISIP 155#, FP 60-60#,
 30 min FSIP 110#.
 8-19-63 Drlg. 7165'.
 8-26-63 Drlg. 8788'.
 DST 8305-8416', open 1 hr,
 rec 20' OCM,
 30 min ISIP 267#, FP 22-22#,
 30 min FSIP 267#.
 DST 8525-8645', open 1 hr,
 rec 35' OC Wtr + 238' sli. salty sul. wtr,
 30 min ISIP 3240#, FP 115-170#,
 30 min FSIP 2750#.

9-3-63 Drlg. 10008'.
DST 8700-8825', open 2 1/2 hrs,
rec 30' oil, 1941' sul. wtr + 570' salty
sul. wtr,
30 min ISIP 3550#, FP 400-1090#,
1 hr FSIP 3325#.

9-9-63 Drlg. 11019' lm. & ch.

9-16-63 Drlg. 11650'.

9-23-63 Drlg. 12160'.

9-30-63 Drlg. 12561'.

10-7-63 Drlg. 12925'.

10-14-63 Drlg. 13165' lm.
DST 13087-135', open 1 hr,
rec 2400' WB + 30' DM
45 min ISIP 2178#, FP 1095#.

10-21-63 45 min FSIP 1614#.
TD 13306', prep to PB.
DST 13118-165', open 1 hr 30 mins,
rec 2000' WB + 638' DM & 180' wtr,
45 min ISIP 4693#, FP 45-1137#,
no FSIP.
DST 13160-225', open 2 hrs,
rec 2000' WB, 180' DM + 420' wtr,
45 min ISIP 4960#, FP 125-1275#,
45 min FSIP 3839#.
DST 13206-306', open 2 hrs 30 mins,
rec 2000' WB, 1500' mud + 4781' wtr,
45 min ISIP 4914#, FP 2307-3787#,
1 hr FSIP 4958#.

10-28-63 TD 13306', PB 11884', WOC.

11-4-63 TD 13306', PB 11884', NR

11-11-63 TD 13306', tight

11-18-63 TD 13306'.

11-26-63 TD 13306', PB 8543', PLUGGED & ABANDONED.
Perf 11652-658', 11668-674', 11680-686',
11690-705', 11762-766', 11830-834', 11838-
842' W/2 SPF
Ac. 500 gals,
Swbd 12 BAW + 48 BNW/5 hrs.
Re-Ac. 1500 gals.
Swbd 36 BAW, 56 BLW + 136 BFW/15 hrs.
Set BP @ 11590'
Perf (Abo) 8504-08', 8579-81', 8605-07',
8612-14', 8640-42', 8657-59', 8676-78',
8718-20', 8734-38', & 8765-67' W/2 SP^F
Set BP @ 8829'
Ac. 4100 gals.
Had communications w/9-5/8" annulus.

Set ret. @ 8449'
Re-Cemented csg. W/325 sx.
DO to 8917', Set BP @ 8825'
Ac. 1500 gals (8718-67')
Swbd 36 BAW, 40 BLW + 43 BFW/8 hrs.
Swbd 8 BO + 326 BW/24 hrs.
Set ret. @ 8696'
Squeezed perfs 8718-67' W/75 sx.
Set BP @ 8685'
Ac. 500 gals (8640-8678')
Ac. 500 gals (8605-78')
Ac. 500 gals (8504-81')
Swbd 36 BAW + 45 BLW/5 hrs
Swbd 10 BLW + 148 BNW/10½ hrs.
Re-Set BP @ 8543'
Re-Ac. 1500 gals (8504-08')
Swbd 36 BAW, 35 BLW + 128 BNW/18½ hrs.
LOG TOPS: Woodford 13026', Devonian 13078'.

1. The first part of the report

describes the general situation of the country

and the results of the survey

conducted in the field

in the various districts

and

the following table

shows the results of the survey

in the various districts

and the following table

shows the results of the survey

in the various districts

and the following table

shows the results of the survey

in the various districts

and the following table

shows the results of the survey

in the various districts

and the following table

shows the results of the survey

in the various districts

and the following table

shows the results of the survey

in the various districts

and the following table

shows the results of the survey

in the various districts

and the following table

shows the results of the survey

in the various districts