


Form 9-830

Form approved.
Budget Bureau No. 42-R355.4.

RECEIVED

FEB 13 1963

UNITED STATES

U. S. DEPARTMENT OF THE INTERIOR
ARTESIA, OFFICE GEOLOGICAL SURVEYU. S. LAND OFFICE L.C. 155
SERIAL NUMBER 02942 (B)
LEASE OR PERMIT TO PROSPECT 829410 B

LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company Forest Oil Corporation Address Box 4106, Odessa, Texas
Lessor or Tract Federal-Carper Field Wildcat State New Mexico
Well No. 1 Sec. 30 T. 17-S R. 32-E Meridian N.M.P.M. County Lea
Location 2310 ft. N. of S Line and 2310 ft. W. of E Line of SE 1/4 - 30 Elevation 3909
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed

J. R. WrightDate 2-8-1963Title Division Production Sup't.

The summary on this page is for the condition of the well at above date.

Commenced drilling November 11, 19 62 Finished drilling January 3, 19 63

OIL OR GAS SANDS OR ZONES

None Productive

(Denote gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from 7951 to 8010 No. 3, from _____ to _____
No. 2, from 8945 to 8982 No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
<u>13-3/8"</u>	<u>48#</u>	<u>8 rt</u>	<u>J&L</u>	<u>408'</u>					<u>Surface csg.</u>
<u>8-5/8"</u>	<u>24 & 32#</u>	<u>8 rt</u>	<u>J&L</u>	<u>4152.25'</u>	<u>HOWCO</u>				<u>Salt string</u>
<u>4-1/2"</u>	<u>11.60#</u>	<u>8 rt</u>	<u>J&L</u>	<u>9206.97'</u>	<u>HOWCO</u>	<u>7782'</u>	<u>8960</u>	<u>8984</u>	<u>Prod. test csg.</u>

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
<u>13-3/8"</u>	<u>423.79'</u>	<u>365 plus additives</u>	<u>pump & plug</u>	<u>9.5# 36 Vis.</u>	<u>Hole full</u>
<u>8-5/8"</u>	<u>4163.00'</u>	<u>1155 plus additives</u>	<u>pump & plug</u>	<u>10# 36 Vis.</u>	<u>Hole full</u>
<u>4-1/2"</u>	<u>9219.72'</u>	<u>250 plus additives</u>	<u>pump & plug</u>	<u>8.9# 33 Vis.</u>	<u>Hole full</u>

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____

Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to 9220 feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

_____, 19____ Put to producing Not productive, 19____

The production for the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, °Bé. _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Ray E. Arrowood, Driller Frank Bryant, Driller

T. W. Reed, Driller _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
<u>0</u>	<u>200</u>	<u>200</u>	<u>Caliche and red bed</u>
<u>200</u>	<u>731</u>	<u>531</u>	<u>Red bed</u>
<u>731</u>	<u>851</u>	<u>120</u>	<u>Anhydrite</u>
<u>851</u>	<u>1004</u>	<u>153</u>	<u>Salt</u>
<u>1004</u>	<u>1897</u>	<u>893</u>	<u>Salt and anhydrite</u>
<u>1897</u>	<u>3598</u>	<u>1701</u>	<u>Anhydrite</u>
<u>3598</u>	<u>3625</u>	<u>27</u>	<u>Anhydrite and lime</u>
<u>3625</u>	<u>5253</u>	<u>1628</u>	<u>Lime</u>
<u>5253</u>	<u>9220</u>	<u>3967</u>	<u>Dolomite</u>

FROM-	TO-	TOTAL FEET	FORMATION
-------	-----	------------	-----------

FROM-	TO-	TOTAL FEET	FORMATION
-------	-----	------------	-----------

16-43084-2 U. S. GOVERNMENT PRINTING OFFICE

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked," or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

ALL STEW TEST NO. 1 - (Middle Abol) 7951-8010. 1001 open 2 hrs. Gas to surface in 3 minutes. Recovered 1800' slightly salty sulphur water. 30-minute 151F 2975#; 30-minute FSP 2990#; IF 210#; FF 550#.

DRILL STEM TEST No. 2 - (Lower Abq) 8945-8982, tool open 2 hrs. gas to surface in 9 minutes. recovered 3765 oil and gas cut salty sulphur water and 500 oil. 30-minute 1st 3400; 30-minute FSIP 3010#, 1st 345#; FF 1460#.

DRILL STEM TEST NO. 3 - (Lower Abn) 8985-9032, tool open 2 hrs. Gas to surface in 10 minutes. Recovered 780' mud, water, and gas cut oil. 30-minute ISIP 3125#, 30-minute FSIP 2485#, FF 135#, FF 264#.

Core No. 1 - 5032-9037, recovered 5' (jammed). Gray-tan dolomite, bleeding oil and water.

Core No. 2 - 903-9012, recovered 35'. 322' gray-tan dolomite, fractured, bleeding oil and water.

DRILL STEW TEST No. 4 (Lower Abo) 9050-9072, tool open 2 hrs. Gas to surface in 8 minutes. Recovered 540' oil and gas cut water, 1550' slightly salty sulphur water, 5' oil. 30-minute ISIP, 1 hr. ISIP 3375#, 1F 180#, 1F 780#.

Notice of Intention to Abandon and Subsequent Report of Spoiling or Acidizing

Flipped and abandoned 2-6-63

100 90 80 70 60 50 40 30 20 10 0

DECLASSIFICATION AUTHORITY DERIVED FROM:
FBI AUTOMATIC DECLASSIFICATION GUIDE

A 2748 637000

Forest Oil Corporation
Federal-Carper No. 1 Well
Lea County, New Mexico

FEB 10 AM 7:02

Depth	Deviation	Depth	Deviation	Depth	Deviation
388	1/2	3549	2	6073	2-3/4
654	1/2	3616	2	6168	2-1/2
964	3/4	3674	1-3/4	6310	2-1/2
1271	3/4	3767	1-1/2	6510	2-3/4
1520	1	3830	2	6665	2-1/2
1642	1	3915	2-1/4	6790	2-1/2
1767	1-1/4	4009	2-1/4	6947	2-3/4
1860	2-1/4	4041	2-1/2	7031	2-3/4
1951	2	4153	2-1/2	7135	2-3/4
2043	1-3/4	4233	2-1/2	7255	3
2137	1-3/4	4295	2-1/2	7357	3
2230	1-3/4	4358	2-1/2	7395	3
2323	1-3/4	4410	2-1/2	7440	3
2415	1-1/4	4461	2-1/4	7640	3
2541	1-1/2	4554	2-1/4	7755	3
2602	1-1/2	4648	2-1/4	7885	3-3/4
2695	2	4670	2	8005	3-1/2
2757	2	4766	2	8222	3
2819	2	4808	2	8305	3
2882	2	4954	1-3/4	8390	2-3/4
2945	1-3/4	5078	2-1/4	8436	2-3/4
3038	2	5140	2	8506	2-3/4
3080	1-3/4	5195	2-1/4	8573	2-1/2
3143	1-1/2	5329	1-3/4	8634	2-1/2
3205	2-1/4	5479	2	8689	2-1/2
3268	2-1/4	5608	2-1/4	8780	2-1/2
3331	2	5733	2-1/4	8938	2
3362	2-1/4	5765	2-1/2	9025	1-1/2
3425	2-1/2	5888	2-3/4	9215	1-1/2
3486	2-1/4	6042	3		

AFFIDAVIT

State of Texas

County of Ector

Before me, the undersigned authority, on this day personally appeared J. R. Wright known to me to be the person whose name is subscribed to this instrument, who after being by me duly sworn on Oath states that he is employed in the capacity of Division Production Superintendent, with Forest Oil Corporation, and that he has knowledge of all the facts stated herein, and that said report is true and correct.

J. R. Wright

Subscribed and sworn to before me on this the 4th day of January, 1963.

Malcolm R. Manns Malcolm R. Manns Notary Public in and for Ector County, Texas

1911			1912		
Month	Day	Amount	Month	Day	Amount
Jan	1	100.00	Jan	1	100.00
	2	100.00		2	100.00
	3	100.00		3	100.00
	4	100.00		4	100.00
	5	100.00		5	100.00
	6	100.00		6	100.00
	7	100.00		7	100.00
	8	100.00		8	100.00
	9	100.00		9	100.00
	10	100.00		10	100.00
	11	100.00		11	100.00
	12	100.00		12	100.00
	13	100.00		13	100.00
	14	100.00		14	100.00
	15	100.00		15	100.00
	16	100.00		16	100.00
	17	100.00		17	100.00
	18	100.00		18	100.00
	19	100.00		19	100.00
	20	100.00		20	100.00
	21	100.00		21	100.00
	22	100.00		22	100.00
	23	100.00		23	100.00
	24	100.00		24	100.00
	25	100.00		25	100.00
	26	100.00		26	100.00
	27	100.00		27	100.00
	28	100.00		28	100.00
	29	100.00		29	100.00
	30	100.00		30	100.00
	31	100.00		31	100.00
Feb	1	100.00	Feb	1	100.00
	2	100.00		2	100.00
	3	100.00		3	100.00
	4	100.00		4	100.00
	5	100.00		5	100.00
	6	100.00		6	100.00
	7	100.00		7	100.00
	8	100.00		8	100.00
	9	100.00		9	100.00
	10	100.00		10	100.00
	11	100.00		11	100.00
	12	100.00		12	100.00
	13	100.00		13	100.00
	14	100.00		14	100.00
	15	100.00		15	100.00
	16	100.00		16	100.00
	17	100.00		17	100.00
	18	100.00		18	100.00
	19	100.00		19	100.00
	20	100.00		20	100.00
	21	100.00		21	100.00
	22	100.00		22	100.00
	23	100.00		23	100.00
	24	100.00		24	100.00
	25	100.00		25	100.00
	26	100.00		26	100.00
	27	100.00		27	100.00
	28	100.00		28	100.00
	29	100.00		29	100.00
	30	100.00		30	100.00
	31	100.00		31	100.00
Mar	1	100.00	Mar	1	100.00
	2	100.00		2	100.00
	3	100.00		3	100.00
	4	100.00		4	100.00
	5	100.00		5	100.00
	6	100.00		6	100.00
	7	100.00		7	100.00
	8	100.00		8	100.00
	9	100.00		9	100.00
	10	100.00		10	100.00
	11	100.00		11	100.00
	12	100.00		12	100.00
	13	100.00		13	100.00
	14	100.00		14	100.00
	15	100.00		15	100.00
	16	100.00		16	100.00
	17	100.00		17	100.00
	18	100.00		18	100.00
	19	100.00		19	100.00
	20	100.00		20	100.00
	21	100.00		21	100.00
	22	100.00		22	100.00
	23	100.00		23	100.00
	24	100.00		24	100.00
	25	100.00		25	100.00
	26	100.00		26	100.00
	27	100.00		27	100.00
	28	100.00		28	100.00
	29	100.00		29	100.00
	30	100.00		30	100.00
	31	100.00		31	100.00

1911

1912

1913

1914

1915

1916

1917

1918

1919

1920

1921

1922

1923

1924

1925

1926

1927

1928

1929

1930

1931

1932

1933

1934

1935

1936

1937

1938

1939

1940

1941

1942

1943

1944

1945

1946

1947

1948

1949

1950

1951

1952

1953

1954

1955

1956

1957

1958

1959

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1970

1971

1972

1973

1974

1975

1976

1977

1978

1979

1980

1981

1982

1983

1984

1985

1986

1987

1988

1989

1990

1991

1992

1993

1994

1995

1996

1997

1998

1999

2000

2001

2002

2003

2004

2005

2006

2007

2008

2009

2010

2011

2012

2013

2014

2015

2016

2017

2018

2019

2020

2021

2022

2023

2024

2025

2026

2027

2028

2029

2030

2031

2032

2033

2034

2035

2036

2037

2038

2039

2040

2041

2042

2043

2044

2045

2046

2047

2048

2049

2050

2051

2052

2053

2054

2055

2056

2057

2058

2059

2060

2061

2062

2063

2064

2065

2066

2067

2068

2069

2070

2071

2072

2073

2074

2075

2076

2077

2078

2079

2080

2081

2082

2083

2084

2085

2086

2087

2088

2089

2090

2091

2092

2093

2094

2095

2096

2097

2098

2099

2100