

**Santa Fe, New Mexico**

|                           |            |  |
|---------------------------|------------|--|
| NUMBER OF COPIES RECEIVED |            |  |
| DISTRIBUTION              |            |  |
| SANTA FE                  |            |  |
| FILE                      |            |  |
| U.S.G.S.                  |            |  |
| LAND OFFICE               |            |  |
| TRANSPORTER               | OIL<br>GAS |  |
| PRORATION OFFICE          |            |  |
| OPERATOR                  |            |  |

## WELL RECORD

1988 JUL 19 PM 3

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE If State Land submit 6 Copies

Apache Corporation

E. T. Russell

**AREA 640 ACRES**

AREA 640 ACRES  
LOCATE WELL, CORRECTLY

(Company or Operator)

(Leave)

Well No. 1, in NE  $\frac{1}{4}$  of NE  $\frac{1}{4}$ , of Sec. 26, T. 16-South, R. 37-East, NMPM.  
Wildcat Pool, Lea County.

Well is.....660.....feet from.....North.....line and.....660.....feet from.....East.....line  
of Section.....26..... If State Land the Oil and Gas Lease No. is.....

Drilling Commenced February 18 1963 Drilling was Completed March 26 1963

Name of Drilling Contractor..... **Corbett Drilling Company**

Address..... P. O. Box 1608, Odessa, Texas

Elevation above sea level at Top of Tubing Head..... 2781 DF ..... The information given is to be kept confidential until  
No restriction ..... 19.....

### OIL SANDS OR ZONES

|                                                                                                          |                                                                                                    |
|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| No. 1, from <b>3290</b> to .....<br>No. 2, from <b>4212</b> to .....<br>No. 3, from <b>5010</b> to ..... | No. 4, from <b>7924</b> to .....<br>No. 5, from <b>8600</b> to .....<br>No. 6, from ..... to ..... |
|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|

## IMPORTANT WATER SANDS

**Include data on rate of water inflow and elevation to which water rose in hole.**

None recorded

No. 1, from.....to.....feet. ....

No. 2, from.....to.....feet. ....

No. 3, from.....to.....feet. ....

No. 4, from.....to.....feet. ....

### CASING RECORD

| SIZE   | WEIGHT PER FOOT | NEW OR USED | AMOUNT | KIND OF SHOE | CUT AND PULLED FROM | PERFORATIONS | PURPOSE      |
|--------|-----------------|-------------|--------|--------------|---------------------|--------------|--------------|
| 13-3/8 | 48              | N           | 322    | Float        | None                | None         | Conductor    |
| 8-5/8  | 32              | N           | 3816   | Float        | 1610                | None         | Intermediate |
|        |                 |             |        |              |                     |              |              |
|        |                 |             |        |              |                     |              |              |

### MUDDING AND CEMENTING RECORD

| SIZE OF HOLE | SIZE OF CASING | WHERE SET | NO. SACKS OF CEMENT | METHOD USED | MUD GRAVITY | AMOUNT OF MUD USED |
|--------------|----------------|-----------|---------------------|-------------|-------------|--------------------|
| 17-1/2       | 13-3/8         | 322       | 325                 | Circulated  |             |                    |
| 12-1/4       | 8-5/8          | 3816      | 300                 | Howco Plug  |             |                    |
|              |                |           |                     |             |             |                    |
|              |                |           |                     |             |             |                    |

### RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

No shooting or treating.

### Result of Production Stimulation.

### Depth Cleaned Cut

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 8680 feet, and from feet to feet.  
Cable tools were used from None feet to feet, and from feet to feet.

PRODUCTION

Put to Producing No production, 19.

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was  
was oil; % was emulsion; % water; and % was sediment. A.P.I.  
Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of  
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in.

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

| Southeastern New Mexico |      |  | Northwestern New Mexico |  |                        |
|-------------------------|------|--|-------------------------|--|------------------------|
| T. Anhy.                |      |  | T. Devonian.            |  | T. Ojo Alamo.          |
| T. Salt.                | 2108 |  | T. Silurian.            |  | T. Kirtland-Fruitland. |
| B. Salt.                | 3290 |  | T. Montoya.             |  | T. Farmington.         |
| T. Yates.               | 3290 |  | T. Simpson.             |  | T. Pictured Cliffs.    |
| T. 7 Rivers.            |      |  | T. McKee.               |  | T. Menefee.            |
| T. Queen.               | 4212 |  | T. Ellenburger.         |  | T. Point Lookout.      |
| T. Grayburg.            |      |  | T. Gr. Wash.            |  | T. Mancos.             |
| T. San Andres.          | 5010 |  | T. Granite.             |  | T. Dakota.             |
| T. Glorieta.            | 6418 |  | T.                      |  | T. Morrison.           |
| T. Drinkard.            |      |  | T.                      |  | T. Penn.               |
| T. Tubbs.               | 7924 |  | T.                      |  | T.                     |
| T. Abo.                 | 8600 |  | T.                      |  | T.                     |
| T. Penn.                |      |  | T.                      |  | T.                     |
| T. Miss.                |      |  | T.                      |  | T.                     |

FORMATION RECORD

| From | To   | Thickness<br>in Feet | Formation            | From | To | Thickness<br>in Feet | Formation |
|------|------|----------------------|----------------------|------|----|----------------------|-----------|
| 0    | 110  | 110                  | Sand & Caliche       |      |    |                      |           |
| 110  | 1808 | 1698                 | Red beds             |      |    |                      |           |
| 1808 | 2082 | 274                  | Red beds & anhydrite |      |    |                      |           |
| 2082 | 2146 | 64                   | Anhydrite            |      |    |                      |           |
| 2146 | 2180 | 34                   | Anhydrite & sand     |      |    |                      |           |
| 2180 | 2275 | 95                   | Anhydrite & gyp      |      |    |                      |           |
| 2275 | 3253 | 978                  | Anhydrite & salt     |      |    |                      |           |
| 3253 | 3420 | 167                  | Anhydrite & gyp      |      |    |                      |           |
| 3420 | 3505 | 85                   | Anhydrite & salt     |      |    |                      |           |
| 3505 | 3819 | 314                  | Anhydrite & gyp      |      |    |                      |           |
| 3819 | 4017 | 198                  | Anhydrite            |      |    |                      |           |
| 4017 | 4325 | 308                  | Anhydrite & gyp      |      |    |                      |           |
| 4325 | 4804 | 479                  | Anhydrite            |      |    |                      |           |
| 4804 | 4864 | 60                   | Anhydrite & lime     |      |    |                      |           |
| 4864 | 4911 | 47                   | Anhydrite            |      |    |                      |           |
| 4911 | 4982 | 71                   | Anhydrite & lime     |      |    |                      |           |
| 4982 | 8238 | 3256                 | Lime                 |      |    |                      |           |
| 8238 | 8304 | 66                   | Lime & sand          |      |    |                      |           |
| 8304 | 8400 | 96                   | Lime                 |      |    |                      |           |
| 8400 | 8680 | 280                  | Dolomite             |      |    |                      |           |
|      | 8680 | 8680                 | Total Depth          |      |    |                      |           |

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator Apache Corporation

Name Loyd D. Somers

Address 823 South Detroit, Tulsa 20, Okl

Position or Title General Superintendent

July 11, 1963  
(Date)